



12.1.6 Editors - Geometry Node Editor - Header - Add Menu - Attribute

Table of content

Detailed table of content.....	1
Add menu.....	7
Attribute Clamp.....	7
Attribute Color Ramp.....	8
Attribute Combine XYZ.....	10
Attribute Compare.....	11
Attribute Convert.....	12
Attribute Curve Map.....	14
Attribute Fill.....	16
Attribute Map Range.....	16
Attribute Math.....	17
Attribute Mix.....	18
Attribute Proximity.....	19
Attribute Randomize.....	20
Attribute Remove.....	21
Attribute Sample texture.....	22
Attribute Separate XYZ.....	23
Attribute Transfer.....	24
Attribute Vector Math.....	25
Attribute Vector Rotate.....	26

Detailed table of content

Detailed table of content

Detailed table of content.....	1
Add menu.....	7
Attribute Clamp.....	7
Inputs.....	7
Geometry.....	7
Attribute.....	7
Result.....	7
Min.....	7
Max.....	7
Properties.....	7
Data Type.....	7
Outputs.....	8
Geometry.....	8
Attribute Color Ramp.....	8
Inputs.....	8
Geometry.....	8
Attribute.....	8
Result.....	8
Properties.....	8
Color Ramp.....	8

Controls.....	8
+.....	8
-.....	8
Tools menu.....	8
Flip Color Ramp.....	8
Distribute Stops from Left.....	9
Distribute Stops Evenly.....	9
Eyedropper (pipette icon) E.....	9
Reset Color Ramp.....	9
Color Mode.....	9
RGB.....	9
HSV/HSL.....	9
Interpolation.....	9
Ease.....	9
Cardinal.....	9
Linear.....	9
B-Spline.....	9
Constant.....	9
Color Ramp.....	9
Active Color Stop elements.....	9
Choose active color stop.....	9
Pos.....	9
Outputs.....	10
Geometry.....	10
Attribute Combine XYZ.....	10
Inputs.....	10
Geometry.....	10
X / Y / Z.....	10
Result.....	10
Properties.....	10
Type X.....	10
Attribute.....	10
Float.....	10
Type Y.....	10
Attribute.....	10
Float.....	10
Type Z.....	11
Attribute.....	11
Float.....	11
Output.....	11
Geometry.....	11
Attribute Compare.....	11
Inputs.....	11
Geometry.....	11
A, B.....	11
Threshold.....	11
Result.....	11
Properties.....	12
Operation.....	12
A.....	12
B.....	12
Output.....	12
Geometry.....	12

Attribute Convert.....	12
Inputs.....	12
Geometry.....	12
Attribute.....	12
Result.....	13
Properties.....	13
Domain.....	13
Auto.....	13
Point.....	13
Edge.....	13
Face.....	13
Face Corner.....	13
Spline.....	13
Data Type.....	13
Output.....	13
Geometry.....	13
Attribute Curve Map.....	14
Inputs.....	14
Geometry.....	14
Attribute.....	14
Result.....	14
Properties.....	14
Data Type.....	14
Float.....	14
Vector.....	14
Color.....	14
Curve Widget.....	14
Navigation elements.....	14
Zoom in and out.....	14
Tools.....	15
Reset View.....	15
Vector Handle.....	15
Auto Handle.....	15
Auto Clamped Handle.....	15
Extend Horizontal.....	15
Extend Extrapolation.....	15
Reset Curve.....	15
Use Clipping.....	15
Delete Points.....	15
Curve window.....	15
X / Y values.....	15
Attribute Fill.....	16
Properties.....	16
Data Type.....	16
Inputs.....	16
Geometry.....	16
Attribute.....	16
Value.....	16
Output.....	16
Geometry.....	16
Attribute Map Range.....	16
Inputs.....	16
Geometry.....	16


Attribute.....	16
Result.....	17
From Min.....	17
From Max.....	17
To Min.....	17
To Max.....	17
Properties.....	17
Data Type.....	17
Outputs.....	17
Geometry.....	17
Attribute Math.....	17
Inputs.....	17
Geometry.....	17
Attribute A.....	17
Attribute B.....	18
Result.....	18
Properties.....	18
Operation.....	18
Type A.....	18
Attribute.....	18
Float.....	18
Type B.....	18
Attribute.....	18
Float.....	18
Output.....	18
Geometry.....	18
Attribute Mix.....	18
Inputs.....	18
Geometry.....	18
A.....	19
B.....	19
Result.....	19
Properties.....	19
Blending Mode.....	19
A.....	19
B.....	19
Output.....	19
Geometry.....	19
Attribute Proximity.....	19
Inputs.....	20
Geometry.....	20
Target.....	20
Result.....	20
Position.....	20
Properties.....	20
Target Geometry.....	20
Outputs.....	20
Geometry.....	20
Attribute Randomize.....	20
Inputs.....	20
Geometry.....	20
Attribute.....	20
Min.....	20

Max.....	21
Seed.....	21
Properties.....	21
Data Type.....	21
Float.....	21
Integer.....	21
Vector.....	21
Boolean.....	21
Operation.....	21
Outputs.....	21
Geometry.....	21
Attribute Remove.....	21
Inputs.....	21
Geometry.....	21
Attribute.....	22
Output.....	22
Geometry.....	22
Attribute Sample texture.....	22
Inputs.....	22
Geometry.....	22
Mapping.....	22
Result.....	22
Properties.....	22
Texture property.....	22
Texture Browser.....	22
Edit Box.....	22
Fake User.....	22
New Texture.....	23
Remove.....	23
Outputs.....	23
Geometry.....	23
Attribute Separate XYZ.....	23
Inputs.....	23
Geometry.....	23
Vector.....	23
Result X / Y / Z.....	23
Result.....	23
Properties.....	23
Type.....	23
Attribute.....	23
Float.....	23
Output.....	24
Geometry.....	24
Attribute Transfer.....	24
Inputs.....	24
Geometry.....	24
Source Geometry.....	24
Source.....	24
Destination.....	24
Properties.....	24
Domain.....	24
Auto.....	24
Point.....	24

Edge.....	24
Face.....	25
Face Corner.....	25
Spline.....	25
Mapping.....	25
Output.....	25
Geometry.....	25
Attribute Vector Math.....	25
Inputs.....	25
Geometry.....	25
A, B, C.....	25
Result.....	25
Properties.....	26
Operation.....	26
Type A.....	26
Type B.....	26
Output.....	26
Geometry.....	26
Attribute Vector Rotate.....	26
Inputs.....	26
Geometry.....	26
Vector.....	26
Center.....	26
Axis.....	26
Invert.....	27
Result.....	27
Properties.....	27
Mode.....	27
Input Type Vector.....	27
Input Type Center.....	27
Input Type Axis.....	27
Input Type Angle.....	27
Output.....	27
Geometry.....	27

Add menu

The Attribute menu contains the attribute nodes. These nodes allows you to work with object attributes.



Attribute Clamp

Clamps the values of an attribute between a min and a max value

Inputs

Geometry

Standard geometry input.

Attribute

Name of the attribute that is used as input. It should be a float attribute with values between zero and one.

Result

Name of the attribute where the output is stored. If the attribute does not exist yet, it is created.

Min

The minimum value.



Max

The maximum value.

Properties


Data Type

What data type to clamp.



Operation

What clamp operation to use.



Outputs

Geometry

Standard geometry output.


Attribute Color Ramp

Uses a color ramp to map values from a float attribute to a color attribute of the target geometry.

Inputs

Geometry

Standard geometry input.



Attribute

Name of the attribute that is used as input. It should be a float attribute with values between zero and one.

Result

Name of the attribute where the output is stored. If the attribute does not exist yet, it is created.

Properties

Color Ramp

Color Ramps enables the user to specify a range of colors based on color stops. The color between the color stops gets interpolated.

Controls

+

Add a stop to your color ramp. The stop will be added after the selected one, in the middle to the next one.


-

Deletes the selected color stop from the list.

Tools menu

Flip Color Ramp

Flips the gradient, inverting the values of the color ramp.



Distribute Stops from Left

Rearrange the stops so that every step has the same space to the right.

Distribute Stops Evenly

Space between all neighboring stops becomes equal.

Eyedropper (pipette icon) E

An Eyedropper to sample a color or gradient from the interface to be used in the color ramp.

Reset Color Ramp

Resets the color ramp to its default state.


Color Mode

RGB

Blends color by mixing each color channel and combining.

HSV/HSL

Blends colors by first converting to HSV or HSL, mixing, then combining again. This has the advantage of maintaining saturation between different hues, where RGB would de-saturate, this allows for a richer gradient.



Interpolation

Ease

Uses an Ease Interpolation for the color stops.

Cardinal

Uses a Cardinal Interpolation for the color stops.

Linear


Uses a Linear Interpolation for the color stops.

B-Spline

Uses a B-Spline Interpolation for the color stops.

Constant

Uses a Constant Interpolation for the color stops.




Color Ramp

The color band. A click at one of the color stops makes it the active one. You can move the color stops by clicking at them and dragging them around.



Active Color Stop elements

Adjust the active color stop.



Choose active color stop

Choose the color stop by index.

Pos

The position of the active color stop. The range goes from 0.000 to 1.000

Outputs

Geometry

Standard geometry output.

Attribute Combine XYZ

The Attribute Combine XYZ Node combines a vector attribute from its individual components.

Inputs

Geometry

Standard geometry input.

X / Y / Z

The single input components of the vector.

Result

Name of the attribute where the computed result is stored. If an attribute with this name does not exist yet, a new attribute with a Boolean data type is added. If it does exist, the values of the existing attribute are overridden.

Properties

Type X

What type the X value of the vector is.

Attribute

The input is a text field that expects an attribute name.

Float

The input is a number field.

Type Y




What type the Y value of the vector is.

Attribute

The input is a text field that expects an attribute name.


Float

The input is a number field.



Type Z

What type the Z value of the vector is.



Attribute

The input is a text field that expects an attribute name.

Float

The input is a number field.


Output

Geometry

Standard geometry output.

Attribute Compare

This node reads two input attributes as floats and allows for basic element-wise comparison operations. Like the Attribute Math node, it is also possible to switch to using single values for inputs. This node can be combined with the Point Separate node for more flexibility for which points to separate to the second output geometry.



Inputs

Geometry

Standard geometry input.

A, B

The first and second input to the math operation. Depending on the Type input, this is either an attribute name or an input of the specified data type.

Threshold

Shows with method Equal and Not Equal. This value is used as a threshold for still considering the two inputs as equal.

Result


Name of the attribute where the computed result is stored. If an attribute with this name does not exist yet, a new attribute with a Boolean data type is added. If it does exist, the values of the existing attribute are overridden.

Properties

Operation


The math function to use.

Note! For operations besides Equal and Not Equal, the input attributes are converted implicitly to the float data type. For the equality operations on vectors, the distance between the vector inputs is used.



A

Input type A for the corresponding socket.



B

Input type B for the corresponding socket.



Output


Geometry

Standard geometry output.

Attribute Convert

Reads one input attribute and converts the data type and domain to the result attribute. The data type conversion is determined by a set of built-in implicit conversion rules. These rules are also used when connecting sockets with different data types. Additional information can be found in the Node Socket section of the manual.

Note that the data conversion rules are not editable. When converting a vector to a float, the implicit rule may not be desired. In this case it is recommended to use Attribute Math nodes together with Attribute Combine and Attribute Separate nodes to achieve the desired result.



Inputs

Geometry

Standard geometry input.

Attribute

Name of the attribute that is to be converted.


Result

Name of the attribute where the computed result is stored. If an attribute with this name does not exist yet, a new attribute is added. If it does exist, the values of the attribute are overridden.

Properties

Domain

What domain to use to save the result attribute. Where the source attribute resides on a different domain, the data is interpolated.



Auto

Chooses the domain based on the following rules.

If the result attribute already exists, use that domain. If the result attribute doesn't exist, use the source attribute domain. Otherwise use the default domain (points).

Point

Store the resulting attribute per point.

Edge

Store the resulting attribute per edge.

Face

Store the resulting attribute per face.

Face Corner


Store the resulting attribute per face corner.

Spline

Store the resulting attribute per spline.

Data Type

The data type of the result attribute.




Output

Geometry

Standard geometry output.

Attribute Curve Map

Lets you map an attribute through a curves panel.



Inputs

Geometry

Standard geometry input.

Attribute

Name of the attribute that is to be converted.


Result

Name of the attribute where the computed result is stored. If an attribute with this name does not exist yet, a new attribute is added. If it does exist, the values of the attribute are overridden.

Properties

Data Type

What data type to work with.




Float

Work with float values.

Vector

Work with Vector 3 values. You can choose which value of the vector to use. X, Y or Z.



Color

Work with color values. You can choose which value of the color to use.



Curve Widget


Navigation elements

The navigation elements at the top are described from left to right.



Zoom in and out

The two buttons with the magnifying glass at it zooms in and out in the curve window.



Tools

Tools is a menu where you can find some curve related tools.

Reset View

Resets the curve windows zoom.

Vector Handle

Set handle type to Vector.

Auto Handle

Set handle type to Auto.

Auto Clamped Handle

Set handle type to Auto Clamped.

Extend Horizontal


Extends the curve before the last point and after the last point horizontally.

Extend Extrapolation

Extends the curve before the last point and after the last point extrapolated.

Reset Curve

Resets the curve to the initial shape.




Use Clipping

Clipping options. Set up clipping for the stroke.

Delete Points

Deletes selected curve point.



Curve window

Tweak and adjust the falloff curve by clicking at a curve point and dragging it around.


Double click adds a new point.

Holding down ctrl activates temporary snapping.

Holding down shift enables slower movement, which allows more accurate setting.


X / Y values

The x and y value of the currently selected point.



Attribute Fill


The Attribute Fill node sets the value for every element of the attribute with the input name to the input value. If the attribute doesn't exist yet, it will be created.



Properties

Data Type

The type of data to fill the attribute with.



Inputs

Geometry

The geometry that is modified.

Attribute

The name of the attribute to fill with the value.

Value

A value of the data type to fill the attribute with.

Output

Geometry

The same geometry as the input with a modified attribute.

Attribute Map Range

Clamps the values of an attribute between a min and a max value range.


Inputs

Geometry

Standard geometry input.

Attribute

Name of the attribute that is used as input. It should be a float attribute with values between zero and one.



Result

Name of the attribute where the output is stored. If the attribute does not exist yet, it is created.

From Min

The lowest minimum value.

From Max

The highest minimum value.

To Min

The lowest maximum value.


To Max

The highest maximum value.

Properties


Data Type

What data type to clamp.



Interpolation type

What interpolation type to use.



Outputs

Geometry

Standard geometry output.


Attribute Math

Modify an attribute with a math operation.

Inputs

Geometry

Standard geometry input.



Attribute A

The first input to the math operation. This can be either an attribute name or numeric value.

Attribute B

The second input to the math operation. This can be either an attribute name or numeric value.

Result

Name of the attribute where the computed result is stored. A new attribute with that name is added, if it does not exist yet. If it does exist, the existing attribute is overridden.

Properties

Operation

The math function to perform.


Note! Attributes are converted implicitly to the float data type.



Type A

Attribute

The input is a text field that expects an attribute name.




Float

The input is a number field.

Type B

Attribute

The input is a text field that expects an attribute name.



Float

The input is a number field.

Output

Geometry

Standard geometry output.

Attribute Mix

Mix attributes to create a new attribute.

Inputs

Geometry

Standard geometry input.



A

The first input to the mix operation. This can be an attribute name or a value.

Result

B

The second input to the mix operation. This can be an attribute name or a value.


Result

Name of the attribute where the computed result is stored. The output attribute type is Color by default. When the result attribute exists already, its type is not changed.

Properties


Blending Mode

Operation that is performed on the inputs.




A

Input type A for the corresponding socket.



B

Input type B for the corresponding socket.



Output


Geometry

Standard geometry output.

Attribute Proximity

This node finds the closest position on the target for each point in the input geometry.

Both, position and distance to them can be stored in attributes.



Inputs

Geometry

Standard geometry input.

Target

Name of the attribute to fill with random values. If there is no attribute with the given name, a new one is created.

Result

Name of the attribute where the output is stored. If the attribute does not exist yet, it is created.

Position


The name of the attribute where the computed location is stored.

A new attribute with that name is added if it does not exist yet. If it does exist, the values of the existing attribute are overridden.

Properties

Target Geometry

The element of the target geometry to calculate the distance from.



Outputs

Geometry

Standard geometry output.

Attribute Randomize

The Attribute Randomize node replaces the values in an attribute with random values within the given range.

Inputs

Geometry


Standard geometry input.

Attribute

Name of the attribute to fill with random values. If there is no attribute with the given name, a new one is created.

Min

The random value will be at least those values.



Max

The random values will be no more than those values.

Seed

Seed to change the random sequence.

Properties

Data Type

Type of data stored in the attribute.

Float

Single (floating-point) value.

Integer

A integer value.

Vector


Array of three (floating-point) values.

Boolean

A true or false value.

Operation


What operation method to use.



Outputs


Geometry

Standard geometry output.



Attribute Remove

For more complicated node setups you can often accumulate many temporary attributes. This node is able to remove them.



Inputs

Geometry

Standard geometry input.

Attribute

The attribute that you want to remove.

Output


Geometry

Standard geometry output.

Attribute Sample texture

The Attribute Sample Texture node evaluates a texture for every point, and stores the resulting colors in a new attribute. The mapping attribute can be anything that can be converted to a 3D vector. For example the name of a uv map or the position attribute is used.

Note that UV maps can only be accessed after a Point Distribute node currently. This is a limitation that will be resolved.



Inputs

Geometry

Standard geometry input.

Mapping

Name of the attribute that is used as input. It should be a float attribute with values between zero and one.

Result

Name of the attribute where the output is stored. If the attribute does not exist yet, it is created.

Properties

Texture property

The texture to use.



Texture Browser

A list of the available textures.

Edit Box

The name of the current active texture. Click to edit.

Fake User

Assign a fake user to this texture so that it is not removed when closing Bforartists.

New Texture

Add a new texture.

Remove

Remove the texture. This sets the texture inactive. It is still in the texture list.

Outputs

Geometry

Standard geometry output.

Attribute Separate XYZ

The Attribute Separate XYZ Node separates a vector attribute into its individual components.

Inputs

Geometry

Standard geometry input.

Vector

Attribute Vector input

Result X / Y / Z

The single input components of a vector.

Result

Name of the attribute where the computed result is stored. If an attribute with this name does not exist yet, a new attribute with a Boolean data type is added. If it does exist, the values of the existing attribute are overridden.

Properties

Type



What type the value of the vector is.

Attribute

The input is a text field that expects an attribute name.

Float

The input is a number field.



Output

Geometry

Standard geometry output.

Attribute Transfer

Transfers several types of data from one mesh to another. Data types include vertex groups, UV maps, vertex colors, and custom normals.

Inputs

Geometry

Standard geometry input.

Source Geometry


Source geometry input.

Source

Source attribute

Destination

Destination attribute.



Properties

Domain

What domain to use to save the result attribute. Where the source attribute resides on a different domain, the data is interpolated.

Auto

Chooses the domain based on the following rules.


If the result attribute already exists, use that domain. If the result attribute doesn't exist, use the source attribute domain. Otherwise use the default domain (points).

Point

Store the resulting attribute per point.

Edge

Store the resulting attribute per edge.



Face

Store the resulting attribute per face.

Face Corner


Store the resulting attribute per face corner.

Spline

Store the resulting attribute per spline.

Mapping

How to map the data.



Output

Geometry

Standard geometry output.


Attribute Vector Math

Modify an attribute with a math operation.

Inputs

Geometry

Standard geometry input.



A, B, C

The inputs to the math operations. Depending on the operation one, two, or all three of the inputs will be used. The attribute types are all vectors of three values, except for the Scale operation, where the second input uses a float type.

Result


The name of the attribute where the computed result is stored. A new attribute with that name is added if it does not exist yet. If it does exist, the values of the existing attribute are overridden.

Properties

Operation


The available vector math operations. The methods should be self explaining.

Note that attributes are converted implicitly to the input data type.



Type A

Input type A for the corresponding socket.



Type B

Input type B for the corresponding socket.



Output

Geometry

Standard geometry output.

Attribute Vector Rotate

Rotates the vector values.

Inputs

Geometry

Standard geometry input.

Vector


The attribute name of the vector.

Center

The center of the vector

Axis

The axis orientation and rotation of the vector.



Invert

Invert the vector values.


Result

The name of the attribute where the computed result is stored. A new attribute with that name is added if it does not exist yet. If it does exist, the values of the existing attribute are overridden.

Properties


Mode

How to modify the vector values.




Input Type Vector

The input type.




Input Type Center

The center type.




Input Type Axis

The axis type.



Input Type Angle

The angle type.



Output

Geometry

Standard geometry output.