25.12.13 Editors - Properties Editor - Object Data Tab - Light Object

Preview panel	2
Light panel	2
Point Light	2
Color	2
Power	2
Specular	
Radius	
Max Bounces	
Custom Distance	
Distance	
Sun Light	
Color	
Strength	
Specular	
Angle	
Max Bounces	
Spot Light	
Color	
Strength	
Specular	
Radius	
Max Bounces	
Custom Distance	
Distance	
Spot shape	
Size	
Blend	
Show cone	
Area Light	
Color	
Power	
Specular	
Shape	
Size X / Y	
Max Bounces	
Custom Distance	
Distance	
Portal	
Cast Shadow	
Multiple Importance	
Light panel	
Clip Start	
Bias	
Cascaded Shadow Map	
Count	
Fade	
Max Distance	
Distribution	
Contact Shadows	
Distance	7

Bias	
Thickness	7
Spot Shape panel	7
Size	7
Blend.	
Show cone	
Area Shape panel.	
Nodes panel	8
Nodes panel	8

Preview panel

Provides a preview window for the light.





Light panel

The light panel contains the settings for the different light types. Color, strength, and so on.

The content differs, depend and of the chosen renderer.

Some props can be animated by setting a keyframe with the Animate Property button behind.






Point Light

The light emits from a point, and has falloff.

Color

The color of the light. Clicking at the color field will open a color picker.





Power

Power of the light in Watts. Higher values increase the intensity of the light. Negative values can be set, but should be avoided for predictable and physically based result.

Specular

Eevee renderer. Specular Light intensity multiplier.

Radius

When larger than zero, light will be emitted from a spherical surfaces with the specified radius. Lights with larger size have softer shadows and specular highlights.

Max Bounces

Cycles renderer. Maximum number of times light from the light is allowed to bounce. Limited by scene-wide bounce settings.

Custom Distance

Eevee Renderer. If enabled uses Distance as the custom attenuation distance instead of global light threshold. In order to avoid long setup times, this distance is first computed automatically based on a light threshold. The distance is computed at the light origin and using the inverse square falloff.




Distance

The distance where light influence will be set to 0.

Sun Light

The light has no falloff, and goes into one direction.





Color

The color of the light. Clicking at the color field will open a color picker.

Strength

Strength of the light in Watts per square meter.

Specular

Eevee renderer. Specular Light intensity multiplier.

Angle


The size of the sun light according to its angular diameter as seen from earth.


Max Bounces

Cycles renderer. Maximum number of times light from the light is allowed to bounce. Limited by scene-wide bounce settings.

Spot Light

The light has falloff. And gets distributed in a cone shape.





Color

The color of the light. Clicking at the color field will open a color picker.

Strength

Strength of the light in Watts per square meter.

Specular

Eevee renderer. Specular Light intensity multiplier.

Radius

When larger than zero, light will be emitted from a spherical surfaces with the specified radius. Lights with larger size have softer shadows and specular highlights.

Max Bounces

Maximum number of times light from the light is allowed to bounce. Limited by scene-wide bounce settings.

Custom Distance

Eevee Renderer. If enabled uses Distance as the custom attenuation distance instead of global light threshold. In order to avoid long setup times, this distance is first computed automatically based on a light threshold. The distance is computed at the light origin and using the inverse square falloff.



Distance

The distance where light influence will be set to 0.

Spot shape

Eevee renderer.



Size


The size of the outer cone of a spot.

Blend

Blending to the inner cone of a spot. The inner cone boundary line indicates the point at which light from the Spot will start to blur/soften.

Show cone

Shows the cone opaque in the 3D view





Area Light

The light emits from a surface, and has falloff.

Color

The color of the light. Clicking at the color field will open a color picker.





Power

Power of the light in Watts. Higher values increase the intensity of the light. Negative values can be set, but should be avoided for predictable and physically based result.

Specular

Eevee renderer. Specular Light intensity multiplier.

Shape

The shape of the light emitting surface.

Size X / Y

The size of the light emitting surface.

Max Bounces

Cycles renderer. Maximum number of times light from the light is allowed to bounce. Limited by scene-wide bounce settings.

Custom Distance

Eevee Renderer. If enabled uses Distance as the custom attenuation distance instead of global light threshold. In order to avoid long setup times, this distance is first computed automatically based on a light threshold. The distance is computed at the light origin and using the inverse square falloff.



Distance

The distance where light influence will be set to 0.

Portal

With Cycles Area lights can also function as light portals to help sample the environment light. This can

Bforartists 2 Reference Manual - 25.12.13 Editors - Properties Editor - Object Data Tab - Light Object

significantly reduce noise in interior scenes. Light portals are not helpful for outdoor scenes. Since outdoor the light bounces just fly off into the sky.

Using the light as portal hides it.

Cast Shadow

Cycles renderer. The light source casts a shadow.

Multiple Importance

Cycles renderer. By default lights use only direct light sampling. Which can be noisy with sharp glossy reflections. Multiple Importance activates Indirect light sampling to reduce noise.

Light panel

Eeevee renderer shadow settings. Eeevee is a realtime renderer. And in Eevee shadows are done with shadow maps.



Clip Start

Shadow clip start distance. A distance below will not generate a shadow.

Bias

The bias to reduce self shadowing.

Cascaded Shadow Map

Sun light only. Shadow large scenes by distributing multiple shadow maps over the frustum range. Each cascade covers a different portion of the view frustum. Note that cascade shadow maps are always updated because they are view dependent.

Note! In orthographic view the cascades cover the whole depth range of the camera with an evenly distributed shadow precision.

Count

Number of cascades to use. More cascades means better precision but a lower update rate.

Fade

Fade transition area between two cascades. Higher values means less overall resolution because cascades need to overlap.

Max Distance

Distance away from the view origin (or camera origin if in camera view) to cover by the cascade. If the view far

Bforartists 2 Reference Manual - 25.12.13 Editors - Properties Editor - Object Data Tab - Light Object

clip distance is lower than Max Distance, the view far clip distance will be used. Only works in perspective view.

Distribution

Puts more resolution towards the near clip plane. Only works in perspective view.

Contact Shadows

Contact shadows exists to fix light leaking caused by bias or shadow map undersampling. The same limitations applies like for screen space reflections. Unknown object thickness and effect disappearing at screen edges.

Tip! Keep the distance of contact shadows small. They are not accurate enough to shadow the entire scene.

Distance

World space distance in which to search for screen space occluder.

Bias

Bias applied to the ray tracing to reduce self-shadowing artifacts.

Thickness

Pixel thickness used to detect occlusion, treating any potential occluder as this thick.

Spot Shape panel

Size

The size of the outer cone of a spot.


▼ Spot Shape Size 75° Blend 0.150 Show Cone

Blend

Blending to the inner cone of a spot. The inner cone boundary line indicates the point at which light from the Spot will start to blur/soften.

Show cone

Shows the cone opaque in the 3D view.



Area Shape panel

Workbench renderer. The shape and size of the Area light.



Nodes panel

Use Nodes

Use nodes for the light setup. Creates the standard nodes for an emission light. Which can be found in the Node editor then. Once activated the Nodes panel shows the content of the emission node.







To revert, and not to use nodes, untick the Use Nodes checkbox in the node editor.

