



12.1.12 Editors - Geometry Nodes Editor - Header - Add Menu - Geometry - Write

Table of content

| | |
|----------------------------------|---|
| Detailed table of content..... | 1 |
| Add menu - Geometry - Write..... | 1 |
| Set ID..... | 1 |
| Set Position..... | 2 |
| Set Selection – Tools Mode..... | 3 |


Detailed table of content

Detailed table of content

| | |
|----------------------------------|---|
| Detailed table of content..... | 1 |
| Add menu - Geometry - Write..... | 1 |
| Set ID..... | 1 |
| Inputs..... | 2 |
| Geometry..... | 2 |
| Selection..... | 2 |
| ID..... | 2 |
| Outputs..... | 2 |
| Geometry..... | 2 |
| Set Position..... | 2 |
| Inputs..... | 2 |
| Geometry..... | 2 |
| Selection..... | 2 |
| Position..... | 2 |
| Offset..... | 2 |
| Outputs..... | 3 |
| Geometry..... | 3 |


Add menu - Geometry - Write

Here you find nodes to modify the geometry.



Set ID

Sets the ID of the target geometry.



Inputs

Geometry

Geometry input.

Selection

Selection input.

ID

ID Input

Outputs


Geometry

Geometry output.

Set Position

The Set Position node controls the location of each point, the same way as controlling the position attribute. If the input geometry contains instances, this node will affect the location of the origin of each instance.

The input node for this data is the Position Node.



Inputs

Geometry

Geometry input.

Selection

Whether or not to change the position of each point or instance. True values mean the position will be changed, false values mean it will remain the same.

Position

The new position for selected elements. By default, this is the same as if the Position Node was connected, meaning the node will do nothing.

Offset

An optional translation for each point. This is evaluated at the same time as the Position input, meaning that fields evaluated for it will not reflect the changed position.

Outputs


Geometry

Geometry outputs.

Set Selection – Tool Mode

Sets the selection of the edited geometry, for tool execution. When using this node, this set the selection of the active object to use in the Node Tree.

Example: You can deselect faces on an object in Edit Mode in the 3D View editor after you have run the Node Group Tool on only the selected faces. This can also be used in the execution of a tree to change the selection to run another chain of nodes on a different selection.



Inputs

Geometry

Geometry input.

Domain type

What domain the Set Selection node affects, be it points, edges, face or spline.

Selection

Whether or not to change the selection status (selected/deselected). True values mean the selection will be changed, false values mean it will remain the same.

Outputs

Geometry

Geometry outputs.