




## 7.0.10 Editors - 3D Viewport - Metaball - Edit Mode - Metaball context menu

### Table of content

Metaball Context Menu.....	2
Duplicate.....	2
Last Operator Duplicate.....	2
Move X , Y , Z.....	2
Orientation.....	2
Proportional editing.....	2
Proportional Falloff.....	2
Proportional Size.....	2
Connected.....	2
Projected(2D).....	2
Mirror.....	3
Interactive Mirror.....	3
X Global, Y Global etc.....	3
Last Operator Mirror.....	3
Orientation.....	3
Constraint Axis.....	3
Proportional editing.....	3
Proportional Falloff.....	3
Proportional Size.....	3
Connected.....	3
Projected(2D).....	3
Snap.....	4
Last Operator Snap.....	4
Offset.....	4
Show/Hide.....	4
Show Hidden.....	4
Hide Selected.....	4
Last Operator Hide Selected.....	4
Unselected.....	4
Hide Unselected.....	4
Delete.....	4

## Metaball Context Menu

Call this menu with double right click in the 3D viewport. You need to be in Edit mode with a Metaball object.



### Duplicate


Duplicates the current selection.

The copy sticks to the mouse until you release it. A Right click while moving will reset the position of the duplicate. The duplicated part will be part of the same object.

When you drag the duplicate around you will see the position values in the header.


### Last Operator Duplicate

#### *Move X , Y , Z*




### Orientation

Choose the orientation.



### Proportional editing

Enables proportional editing. Activating proportional editing reveals further settings.



### Proportional Falloff

Adjust the falloff methods.

### Proportional Size

See and adjust the falloff radius.

### Connected

The proportional falloff gets calculated for connected parts only.

### Projected(2D)

The proportional falloff gets calculated in the screen space. Depth doesn't play a role. When it's in the radius, then it gets calculated.

## Mirror

Mirror mirrors the selected geometry along the defined axis.



## Interactive Mirror


Mirror by hotkeys. You activate the tool, type in x for x global for example, or x x for x local. And the selection gets mirrored.

## X Global, Y Global etc.

Mirrors the selection around the chosen axis.

## Last Operator Mirror

The Last Operator Mirror panel gives you tools to adjust the mirror action.




### Orientation

Orientation is a drop-down box choose the type of orientation for the mirroring action.


### Constraint Axis

Constraint Axis gives you again the possibility to define the mirror axis. You can choose more than one axis here.



### Proportional editing

Enables proportional editing. Activating proportional editing reveals further settings.



### Proportional Falloff

Adjust the falloff methods.

### Proportional Size

See and adjust the falloff radius.

### Connected


The proportional falloff gets calculated for connected parts only.

### Projected(2D)

The proportional falloff gets calculated in the screen space. Depth doesn't play a role. When it's in the radius, then it gets calculated.


## Snap

Choose several methods to snap one element to another. The menu items should be self explaining.



## Last Operator Snap

Some snap operations shows a last operation panel, some not.




## Offset

If the selection should snap as a whole, or if each individual element of the selection should snap.

## Show/Hide

Sub-menu with shows or hide selection, unselected or hidden operators.



## Show Hidden

Makes all geometry in the scene visible again.

## Hide Selected

Hides the selected geometry.

## Last Operator Hide Selected

### Unselected

Hides the not selected geometry.



## Hide Unselected

Hides the not selected geometry. The selected geometry stays visible.

## Delete

Deletes the current selection.