



## 7.0.17 Editors - 3D Viewport - Armature - Edit Mode - Armature context menu


### Table of content

Edit Mode - Armature Context Menu.....	3
Subdivide.....	3
Last Operator Subdivide Multi.....	3
Number of Cuts.....	3
Duplicate.....	3
Last Operator Duplicate.....	3
Duplicate Objects.....	3
Flip Names.....	3
Move X , Y , Z.....	3
Orientation.....	3
Proportional editing.....	4
Extrude.....	4
Last Operator Extrude.....	4
Forked.....	4
Move X , Y , Z.....	4
Orientation.....	4
Proportional editing.....	4
Fill between Joints.....	5
Mirror.....	5
Interactive Mirror.....	5
X Global, Y Global etc.....	5
Last Operator Mirror.....	5
Orientation.....	5
Constraint Axis.....	5
Proportional editing.....	5
Proportional Falloff.....	5
Proportional Size.....	6
Connected.....	6
Projected(2D).....	6
Snap.....	6
Last Operator Snap.....	6
Offset.....	6
Switch Direction.....	6
Symmetrize.....	6
Last Operator Symmetrize.....	7
Direction.....	7
Names.....	7
Autoname Left/Right.....	7
Autoname Front/Back.....	7
Autoname Top/Bottom.....	7
Last operator Autoname by Axis.....	7
Axis.....	7
Flip Names.....	7
Last operator Autoname by Axis.....	7

Strip Numbers.....	7
Make Parent.....	8
Connected.....	8
Keep Offset.....	8
Last Operator Make Parent.....	8
Parent Type.....	8
Clear Parent.....	8
Clear Parent.....	8
Disconnect Bone.....	8
Last Operator Clear Parent.....	8
Clear Type.....	8
Split.....	9
Separate.....	9
Show/Hide.....	9
Show Hidden.....	9
Hide Selected.....	9
Last Operator Hide Selected.....	9
Unselected.....	9
Hide Unselected.....	9
Dissolve selected bones.....	9
Delete selected bones.....	10

## Edit Mode - Armature Context Menu

Call this menu with double right click in the 3D viewport. You need to be in Edit mode with a armature object.



### Subdivide

Subdivide subdivides the current selection.

### Last Operator Subdivide Multi

#### **Number of Cuts**

Adjust the number of subdivisions.



### Duplicate

Duplicates selected bones.

You are automatically in grab mode, and so you can easily move the object out of position. Which is sometimes wanted, since you can position the duplicate then. But sometimes this is unwanted. A right click after releasing the mouse lets the object snap back into its creation position.

When you drag the duplicate around you will see the position values in the header.




### Last Operator Duplicate

#### **Duplicate Objects**

##### **Flip Names**

Tries to flip the names of the bones. This is a name convention feature. When you have a bone called mybone.R, then it tries to become mybone.L




#### **Move X , Y , Z**

The Position of the duplicated object.


#### **Orientation**

Orientation is a drop-down box choose the type of orientation for the duplicate action.



## **Proportional editing**

This checkbox has no use here. You cannot activate it.




## **Extrude**

Extrudes out a bone from the selected joints.

### **Last Operator Extrude**

#### **Forked**

You need to tick X Axis Mirror. When you tick Forked, then the bone that you extrude to the one side will now be extruded to the other side too. The extrude gets mirrored along the x axis. This allows you to create a symmetrical armature.



#### **Move X , Y , Z**


The transform values for the new created joint(s)

#### **Orientation**

Orientation is a drop-down box choose the type of orientation for the mirroring action.

#### **Proportional editing**


Proportional editing is dysfunctional. You cannot activate it.



## **Fill between Joints**

Fill between joints fills a bone between two selected joints.

When there is just one joint selected, then the bone is created between this selected joint and the 3D cursor.



## **Mirror**

Mirror mirrors the selected geometry along the defined axis.



### **Interactive Mirror**


Mirror by hotkeys. You activate the tool, type in x for x global for example, or `x x` for x local. And the selection gets mirrored.

### **X Global, Y Global etc.**

Mirrors the selection around the chosen axis.


### **Last Operator Mirror**

The Last Operator Mirror panel gives you tools to adjust the mirror action.



### **Orientation**

Orientation is a drop-down box choose the type of orientation for the mirroring action.




### **Constraint Axis**

Constraint Axis gives you again the possibility to define the mirror axis. You can choose more than one axis here.

### **Proportional editing**

Enables proportional editing. Activating proportional editing reveals further settings.



### **Proportional Falloff**

Adjust the falloff methods.

## Proportional Size

See and adjust the falloff radius.

## Connected

The proportional falloff gets calculated for connected parts only.


## Projected(2D)

The proportional falloff gets calculated in the screen space. Depth doesn't play a role. When it's in the radius, then it gets calculated.

---


## Snap

Choose several methods to snap one element to another. The menu items should be self explaining.



## Last Operator Snap

Some snap operations shows a last operation panel, some not.



## Offset

If the selection should snap as a whole, or if each individual element of the selection should snap.

---


## Switch Direction

Switches the direction in which the selected bones are pointing.


---

## Symmetrize

Creates a symmetrical mirrored copy of the currently selected bones along the X axis. The mirror center is the pivot of the armature.



The bones that you want to symmetrize needs to follow the left right name conventions for bones. Bones without this left right naming are not affected by the tool. If there is a lower or upper case "L", "R", "left" or "right" with a separating dot in the bone name, then this tool creates and renames the bones names to its counter part. Bone.L becomes Bone.R.



## Last Operator Symmetrize

### Direction

Define the calculation direction. From -X to + X or from +X to -X




## Names

Bforartists has some internal name conventions for a symmetrical armature. Bones are for example named mybone.L or mybone.R, dependent at which side of the mirror axis they are. The Names items allows you to rename the bone names to this name convention.




### Autoname Left/Right

Renames the bones from left to right.



### Autoname Front/Back

Renames the bones from front to back.




### Autoname Top/Bottom

Renames the bones from top to bottom.

## Last operator Autoname by Axis

### Axis

Choose the autoname axis again. Left/Right is X axis, Front/Back is Y axis, and Top/Bottom is Z axis.



### Flip Names

When you mirror a half of an armature you end in names like Bone.001.R.001. But what we need is Bone.001.L for a symmetrical armature. Flip names flips the names to follow the left right name conventions.

## Last operator Autoname by Axis

### Strip Numbers


Tries to remove the numbers in the names if possible.



## Make Parent


Adds a parent relationship.

Select a bone, hold down shift, select the bone that you want to parent it to. Perform Make Parent. In the popup choose the method that you want to use.




### Connected

The child bone will jump to the position of the tail joint of the parent bone.



### Keep Offset


The bone will remain in its original position. The relationship will be displayed by a black dotted line.



### Last Operator Make Parent

#### Parent Type

Choose between Connected and Keep Offset method again.



## Clear Parent

Clears the parent relationship of the selected bone(s). It calls a popup menu choose between two methods.



### Clear Parent

Clears the parent relationship of the selected bone(s).


### Disconnect Bone

The parent-ship is kept. Turns a Connected parent relationship into a Keep Offset parent relationship. You can move the disconnected bone around without to pull the parent with it.

### Last Operator Clear Parent

#### Clear Type

Choose between Clear Parent and Disconnect Bone method again.



## Split

Split splits the selected bone(s) from connected bones. They are still part of the armature. But the bone is now floating. And you can pull this bone(s) around without pulling the rest of the armature around.

The Last operator for Split has no content.

## Separate

Separate separates the selected bone(s) from the armature. And creates a new, independent, armature.

The Last operator for Separate has no content.

## Show/Hide

Sub-menu with shows or hide selection, unselected or hidden operators.



### Show Hidden

Makes all geometry in the scene visible again.

### Hide Selected

Hides the selected geometry.

### Last Operator Hide Selected

#### Unselected

Hides the not selected geometry.




### Hide Unselected

Hides the not selected geometry. The selected geometry stays visible.

## Dissolve selected bones

Merges the selected bone or joint with its hierarchical neighbor bones.



## Delete selected bones

Deletes the selected bones. The hierarchy is kept. The involved bones becomes disconnected.

