

7.3.6 Editors - 3D Viewport - Sidebar - Tool Tab - Mesh - Sculpt Mode

Table of content

Detailed table of content.....	4
Tools Tab in Sculpt Mode.....	13
Brushes Panel.....	13
Custom Icon.....	13
Brush Settings Panel.....	14
Brush Settings Panel - Common Settings.....	14
Radius.....	14
Radius Unit.....	15
Strength.....	15
Front Faces Only.....	15
Normal Radius.....	15
Hardness.....	15
Autosmooth.....	15
Brush Settings Panel - Draw brush.....	16
Direction Add / Subtract.....	16
Brush Settings Panel - Draw Sharp brush.....	16
Direction Add / Subtract.....	16
Brush Settings Panel - Clay brush.....	16
Direction Add / Subtract.....	17
Plane Offset.....	17
Plane Trim.....	17
Brush Settings Panel - Clay Strip brush.....	17
Direction Add / Subtract.....	17
Plane Offset.....	17
Plane Trim.....	17
Tip roundness.....	18
Brush Settings Panel - Clay Thumb brush.....	18
Plane Offset.....	18
Plane Trim.....	18
Brush Settings Panel - Layer brush.....	19
Direction Add / Subtract.....	19
Height.....	19
Persistent.....	19
Brush Settings Panel - Inflate brush.....	19
Direction Inflate / Deflate.....	19
Brush Settings Panel - Blob brush.....	20
Direction Add / Subtract.....	20
Magnify.....	20
Brush Settings Panel - Crease brush.....	20
Direction Add / Subtract.....	20
Pinch.....	20
Brush Settings Panel - Smooth brush.....	21
Direction Smooth / Enhance.....	21
Brush Settings Panel - Flatten brush.....	21
Direction Contrast / Flatten.....	21

Plane Offset.....	21
Plane Trim.....	21
Brush Settings Panel - Fill brush.....	22
Direction Fill / Deepen.....	22
Plane Offset.....	22
Plane Trim.....	22
Area Radius.....	22
Invert to Scrape.....	22
Brush Settings Panel - Scrape brush.....	23
Direction Fill / Deepen.....	23
Plane Offset.....	23
Plane Trim.....	23
Area Radius.....	23
Invert to Fill.....	23
Brush Settings Panel - Multi-plane Scrape brush.....	24
Plane Angle.....	24
Dynamic Mode.....	24
Show Cursor Preview.....	24
Brush Settings Panel - Pinch brush.....	24
Direction Magnify / Pinch.....	24
Autosmooth.....	24
Brush Settings Panel - Grab brush.....	25
Normal Weight.....	25
Grab active Vertex.....	25
Grab Silhouette.....	25
Brush Settings Panel - Elastic Deform brush.....	25
Normal Weight.....	25
Deformation.....	25
Volume Preservation.....	26
Brush Settings Panel - Snake Hook brush.....	26
Normal Weight.....	26
Magnify.....	26
Rake.....	26
Deformation.....	26
Brush Settings Panel - Thumb brush.....	26
Brush Settings Panel - Pose brush.....	27
Deformation Target.....	27
Deformation.....	27
Rotation Origins.....	27
Pose Origin Offset.....	27
Smooth Iterations.....	27
Pose IK Segments.....	27
Keep Anchor Point.....	28
Connected only.....	28
Max Element Distance.....	28
Brush Settings Panel - Nudge brush.....	28
Brush Settings Panel - Rotate brush.....	28
Brush Settings Panel - Slide Relax brush.....	28
Deformation.....	28
Brush Settings Panel - Boundary brush.....	29
Deformation Target.....	29
Deformation.....	29
Boundary Falloff.....	29

Boundary Origin Offset.....	29
Brush Settings Panel - Cloth brush.....	30
Persistent.....	30
Simulation Area.....	30
Deformation.....	30
Force Falloff.....	31
Cloth Mass.....	31
Cloth Damping.....	31
Soft Body Influence.....	31
Enable Collision.....	31
Brush Settings Panel - Simplify brush.....	31
Brush Settings Panel - Mask brush.....	31
Direction Add / Subtract.....	32
Mask Tool.....	32
Brush Settings Panel - Draw Face Sets brush.....	32
Brush Settings Panel - Multires Displacement Eraser brush.....	32
Brush Settings Panel - Multires Displacement Smear brush.....	32
Deformation.....	32
Brush Settings Panel - Paint.....	33
Primary / Secondary color.....	33
Blend Mode.....	33
Flow.....	33
Wet Mix.....	33
Wet Persistence.....	34
Wet Paint Radius.....	34
Density.....	34
Tip Roundness.....	34
Tip Scale X.....	34
Brush Settings Panel - Smear.....	34
Deformation.....	35
Brush Settings Panel - Color Picker Sub panel.....	35
Mode.....	35
Brush Settings Panel - Color Palette Sub panel.....	38
Palette browser.....	38
Edit Box.....	38
Number of users.....	38
Fake User.....	38
Add palette.....	38
Remove Palette.....	38
Add color.....	38
Remove color.....	39
Sort By.....	39
Brush Settings Panel - Advanced Sub panel.....	39
Global Automasking (Header).....	39
Automasking.....	39
Brush Settings Panel - Texture Subpanel.....	43
Brush Settings Panel - Stroke Sub panel.....	49
Stroke Panel with Stroke method Space.....	49
Stroke Panel with Stroke method Curve.....	51
Stroke Panel with Stroke method Line.....	53
Stroke Panel with Stroke method Airbrush.....	55
Stroke Panel with Stroke method Anchored.....	56
Stroke Panel with Stroke method Drag dot.....	56

Stroke Panel with Stroke method dot.....	57
Brush Settings Panel - Falloff Sub panel.....	58
Presets.....	58
Brush Settings Panel - Cursor Sub panel.....	60
Cursor checkbox in header.....	60
Cursor Color.....	60
Inverse Color.....	60
Falloff Opacity.....	60
Texture Opacity.....	61
Dyntopo Panel.....	61
Remesh Panel.....	62
Mode.....	63
Voxel Size.....	63
Adaptivity.....	63
Fix Poles.....	63
Smooth Normals.....	63
Preserve.....	63
Voxel Remesh / Quadriflow Remesh.....	63
Symmetry Panel.....	63
Mirror.....	64
Lock.....	64
Tiling.....	64
Feather.....	64
Radial.....	64
Tile Offset.....	64
Symmetrize.....	65
Sculpt Mode - Options Panel.....	65
Display.....	65
Display.....	65
Gravity sub panel.....	66

Detailed table of content

Detailed table of content

Detailed table of content.....	4
Tools Tab in Sculpt Mode.....	13
Brushes Panel.....	13
Browse Brush.....	13
Custom Icon.....	13
Brush Settings Panel.....	14
Brush Settings Panel - Common Settings.....	14
Radius.....	14
Size Pressure.....	14
Use Unified Radius.....	14
Radius Unit.....	15
Strength.....	15
Size Pressure.....	15
Use Unified Radius.....	15
Front Faces Only.....	15
Normal Radius.....	15

Hardness.....	15
Invert Pressure for Hardness.....	15
Use pressure for hardness.....	15
Autosmooth.....	15
Use pressure for hardness.....	15
Brush Settings Panel - Draw brush.....	16
Direction Add / Subtract.....	16
Brush Settings Panel - Draw Sharp brush.....	16
Direction Add / Subtract.....	16
Brush Settings Panel - Clay brush.....	16
Direction Add / Subtract.....	17
Plane Offset.....	17
Plane Trim.....	17
Brush Settings Panel - Clay Strip brush.....	17
Direction Add / Subtract.....	17
Plane Offset.....	17
Plane Trim.....	17
Distance.....	18
Tip roundness.....	18
Brush Settings Panel - Clay Thumb brush.....	18
Plane Offset.....	18
Plane Trim.....	18
Distance.....	18
Brush Settings Panel - Layer brush.....	19
Direction Add / Subtract.....	19
Height.....	19
Persistent.....	19
Set Persistent Base.....	19
Brush Settings Panel - Inflate brush.....	19
Direction Inflate / Deflate.....	19
Brush Settings Panel - Blob brush.....	20
Direction Add / Subtract.....	20
Magnify.....	20
Brush Settings Panel - Crease brush.....	20
Direction Add / Subtract.....	20
Pinch.....	20
Brush Settings Panel - Smooth brush.....	21
Direction Smooth / Enhance.....	21
Brush Settings Panel - Flatten brush.....	21
Direction Contrast / Flatten.....	21
Plane Offset.....	21
Plane Trim.....	21
Brush Settings Panel - Fill brush.....	22
Direction Fill / Deepen.....	22
Plane Offset.....	22
Plane Trim.....	22
Area Radius.....	22
Size Pressure.....	22
Invert to Scrape.....	22
Brush Settings Panel - Scrape brush.....	23
Direction Fill / Deepen.....	23
Plane Offset.....	23
Plane Trim.....	23

Area Radius.....	23
Size Pressure.....	23
Invert to Fill.....	23
Brush Settings Panel - Multi-plane Scrape brush.....	24
Plane Angle.....	24
Dynamic Mode.....	24
Show Cursor Preview.....	24
Brush Settings Panel - Pinch brush.....	24
Direction Magnify / Pinch.....	24
Autosmooth.....	24
Brush Settings Panel - Grab brush.....	25
Normal Weight.....	25
Grab active Vertex.....	25
Grab Silhouette.....	25
Brush Settings Panel - Elastic Deform brush.....	25
Normal Weight.....	25
Deformation.....	25
Volume Preservation.....	26
Brush Settings Panel - Snake Hook brush.....	26
Normal Weight.....	26
Magnify.....	26
Rake.....	26
Deformation.....	26
Brush Settings Panel - Thumb brush.....	26
Brush Settings Panel - Pose brush.....	27
Deformation Target.....	27
Deformation.....	27
Lock Rotation when scaling.....	27
Rotation Origins.....	27
Pose Origin Offset.....	27
Smooth Iterations.....	27
Pose IK Segments.....	27
Keep Anchor Point.....	28
Connected only.....	28
Max Element Distance.....	28
Brush Settings Panel - Nudge brush.....	28
Brush Settings Panel - Rotate brush.....	28
Brush Settings Panel - Slide Relax brush.....	28
Deformation.....	28
Brush Settings Panel - Boundary brush.....	29
Deformation Target.....	29
Deformation.....	29
Boundary Falloff.....	29
Boundary Origin Offset.....	29
Brush Settings Panel - Cloth brush.....	30
Persistent.....	30
Set Persistent Base.....	30
Simulation Area.....	30
Simulation Limit.....	30
Simulation Falloff.....	30
Pin Simulation Boundary.....	30
Deformation.....	30
Force Falloff.....	31

Cloth Mass.....	31
Cloth Damping.....	31
Soft Body Influence.....	31
Enable Collision.....	31
Brush Settings Panel - Simplify brush.....	31
Brush Settings Panel - Mask brush.....	31
Direction Add / Subtract.....	32
Mask Tool.....	32
Brush Settings Panel - Draw Face Sets brush.....	32
Brush Settings Panel - Multires Displacement Eraser brush.....	32
Brush Settings Panel - Multires Displacement Smear brush.....	32
Deformation.....	32
Brush Settings Panel - Paint.....	33
Primary / Secondary color.....	33
Swap colors.....	33
Use Unified Color.....	33
Blend Mode.....	33
Flow.....	33
Invert Pressure.....	33
Use Pressure.....	33
Wet Mix.....	33
Invert Pressure.....	33
Use Pressure.....	34
Wet Persistence.....	34
Invert Pressure.....	34
Use Pressure.....	34
Wet Paint Radius.....	34
Density.....	34
Invert Pressure.....	34
Use Pressure.....	34
Tip Roundness.....	34
Tip Scale X.....	34
Brush Settings Panel - Smear.....	34
Deformation.....	35
Brush Settings Panel - Color Picker Sub panel.....	35
Mode.....	35
Color / Gradient.....	35
Color picker mode.....	35
Colorpicker.....	35
Primary / Secondary color.....	35
Swap colors.....	35
Use Unified Color.....	35
Gradient mode.....	35
Color Ramp.....	35
Controls.....	36
+.....	36
-.....	36
Tools menu.....	36
Flip Color Ramp.....	36
Distribute Stops from Left.....	36
Distribute Stops Evenly.....	36
Eyedropper (pipette icon) E.....	36
Reset Color Ramp.....	36

Color Mode.....	36
RGB.....	36
HSV/HSL.....	36
Interpolation.....	36
Ease.....	36
Cardinal.....	36
Linear.....	36
B-Spline.....	36
Constant.....	36
Color Ramp.....	37
Active Color Stop elements.....	37
Choose active color stop.....	37
Pos.....	37
Color.....	37
Background Color.....	37
Gradient Mapping.....	37
Pressure.....	37
Repeat.....	37
Gradient Spacing.....	37
Clamp.....	37
Gradient Spacing.....	37
Brush Settings Panel - Color Palette Sub panel.....	38
Palette browser.....	38
Edit Box.....	38
Number of users.....	38
Fake User.....	38
Add palette.....	38
Remove Palette.....	38
Add color.....	38
Remove color.....	39
Sort By.....	39
Brush Settings Panel - Advanced Sub panel.....	39
Global Automasking (Header).....	39
Automasking.....	39
Topology.....	40
Face Sets.....	40
Mesh Boundary.....	40
Face Sets Boundary.....	40
Cavity.....	40
Cavity (Inverted).....	40
Create Mask.....	40
Factor.....	40
Blur.....	40
Custom Curve.....	40
Selecting Points.....	41
Adding Points.....	41
Navigation elements.....	41
Zoom in and out.....	41
Clipping Options.....	41
Use Clipping.....	41
Min and Max X Y.....	41
Tools.....	41
Reset View.....	41

Extend horizontal.....	41
Extend extrapolated.....	41
Reset Curve.....	41
Handle Types.....	42
X Y Position.....	42
Delete Points.....	42
View Normal.....	42
Occlusion.....	42
Limit.....	42
Falloff.....	42
Area Normal.....	42
Limit.....	42
Falloff.....	42
Sculpt Plane.....	42
Use Original.....	43
Normal.....	43
Plane.....	43
Accumulate.....	43
Front Faces Only.....	43
Brush Settings Panel - Texture Subpanel.....	43
Browse Texture to be linked.....	43
Adding a texture.....	43
Texture Edit box.....	44
Brush Mapping.....	44
Brush Mapping with mapping method View Plane and Area Plane.....	45
Angle edit box.....	45
Rake.....	45
Random.....	45
Random edit box.....	45
Offset.....	46
Size.....	46
Sample Bias.....	46
Vector Displacement.....	46
Brush Mapping with mapping method Tiled.....	46
Angle edit box.....	46
Offset.....	46
Size.....	46
Sample Bias.....	47
Brush Mapping with mapping method 3D.....	47
Offset.....	47
Size.....	47
Sample Bias.....	47
Brush Mapping with mapping method Random.....	47
Angle edit box.....	48
Rake.....	48
Random.....	48
Random edit box.....	48
Offset.....	48
Size.....	48
Sample Bias.....	48
Brush Mapping with mapping method Stencil.....	48
Image Aspect.....	49
Angle edit box.....	49

Offset.....	49
Stencil Texture Controls.....	49
Brush Settings Panel - Stroke Sub panel.....	49
Stroke Panel with Stroke method Space.....	49
Spacing Edit Box.....	50
Spacing Pressure.....	50
Spacing Distance.....	50
Adjust Strength for Spacing.....	50
Dash Ratio.....	50
Dash Length.....	50
Jitter Edit Box.....	50
Jitter Pressure.....	51
Jitter Unit.....	51
Input Samples Edit Box.....	51
Stabilize Stroke.....	51
Smooth Stroke Radius Edit Box.....	51
Smooth Stroke Factor Edit Box.....	51
Stroke Panel with Stroke method Curve.....	51
Spacing Edit Box.....	52
Spacing Distance.....	52
Adjust Strength for Spacing.....	52
Paint Curve edit box.....	52
Draw Curve Button.....	53
Jitter Edit Box.....	53
Jitter Pressure.....	53
Jitter Unit.....	53
Input Samples Edit Box.....	53
Stroke Panel with Stroke method Line.....	53
Spacing Edit Box.....	54
Spacing Distance.....	54
Adjust Strength for Spacing.....	54
Jitter Edit Box.....	54
Jitter Pressure.....	54
Jitter Unit.....	54
Input Samples Edit Box.....	54
Stroke Panel with Stroke method Airbrush.....	55
Rate Edit Box.....	55
Spacing Distance.....	55
Jitter Edit Box.....	55
Jitter Pressure.....	55
Jitter Unit.....	55
Input Samples Edit Box.....	55
Stabilize Stroke.....	55
Smooth Stroke Radius Edit Box.....	56
Smooth Stroke Factor Edit Box.....	56
Stroke Panel with Stroke method Anchored.....	56
Edge to Edge.....	56
Spacing Distance.....	56
Input Samples Edit Box.....	56
Stroke Panel with Stroke method Drag dot.....	56
Spacing Distance.....	56
Input Samples Edit Box.....	57
Stroke Panel with Stroke method dot.....	57

Spacing Distance.....	58
Jitter Edit Box.....	58
Jitter Unit.....	58
Input Samples Edit Box.....	58
Stabilize Stroke.....	58
Smooth Stroke Radius Edit Box.....	58
Smooth Stroke Factor Edit Box.....	58
Brush Settings Panel - Falloff Sub panel.....	58
Presets.....	58
Selecting Points.....	59
Adding Points.....	59
Navigation elements.....	59
Zoom in and out.....	59
Tools.....	59
Reset View.....	59
Vector Handle.....	59
Auto Handle.....	59
Auto Clamped Handle.....	59
Reset Curve.....	59
Use Clipping.....	60
Delete Points.....	60
Curve Presets.....	60
Falloff Shape.....	60
Brush Settings Panel - Cursor Sub panel.....	60
Cursor checkbox in header.....	60
Cursor Color.....	60
Inverse Color.....	60
Falloff Opacity.....	60
Override Overlay.....	60
Use Cursor Overlay.....	60
Texture Opacity.....	61
Override Overlay.....	61
Use Cursor Overlay.....	61
Dyntopo Panel.....	61
Detailing.....	61
Relative Detail.....	61
Brush Detail.....	61
Constant Detail.....	62
Manual Detail.....	62
Refine method.....	62
Subdivide Collapse.....	62
Collapse Edges.....	62
Subdivide Edges.....	62
Resolution.....	62
Sample detail size picker.....	62
Remesh Panel.....	62
Mode.....	63
Voxel Size.....	63
Sample Detail Size.....	63
Adaptivity.....	63
Fix Poles.....	63
Smooth Normals.....	63
Preserve.....	63

Volume.....	63
Attributes.....	63
Voxel Remesh / Quadriflow Remesh.....	63
Symmetry Panel.....	63
Mirror.....	64
Lock.....	64
Tiling.....	64
Feather.....	64
Radial.....	64
Tile Offset.....	64
Symmetrize.....	65
Direction.....	65
Merge Distance.....	65
Symmetrize.....	65
Sculpt Mode - Options Panel.....	65
Display.....	65
Fast Navigate.....	65
Delay Viewport Updates.....	65
Use Deform only.....	65
Display.....	65
Topology.....	65
Face Sets.....	65
Mesh Boundary.....	65
Face Sets Boundary.....	65
Cavity.....	66
Cavity (Inverted).....	66
Area Normal.....	66
View Normal.....	66
Propagation Steps.....	66
Gravity sub panel.....	66
Factor.....	66
Orientation.....	66

Tools Tab in Sculpt Mode


Sculpting is a process to deform the geometry by using a brush. Mesh objects, Grease Pencil objects and Hair Curve objects can be sculpted. In this chapter we handle the mesh tools. Grease Pencil and Curve Objects have their own chapter.

In Sculpt Mode you will mainly find settings for the different brushes, General settings, and brush specific settings. This settings can be found in different panels. The different brushes have different options and settings, dependent of which brush is selected. This brush specific options and settings are explained in the tool shelf chapter. Here we just cover the general panels with options and settings that exists for (nearly) all brushes.

The Sculpt Mode just exists for Mesh, Grease Pencil and Hair Curve objects.



Brushes Panel

The Brush Panel contains an image browser to display the different Sculpt Brushes. Usually you have just one icon when you choose a brush from the tool shelf. But you can create your own brushes, based at the current chosen brush type. They save with the blend file when fake user is ticked.



Browse Brush

The big image at the top is a drop down box where you can see the currently active brush. The file browser just shows the current active brush. Which gets chosen in the 3d view in the tool shelf. You can duplicate this brush, and modify it to your needs.




When you have added a few more brushes then the drop down box may be more than full. You will see some little white arrows then. Either in the top left or in the bottom right corner. They indicate that some brushes are hidden before or after the current display.

To scroll to this hidden content use the mouse wheel, or the arrow up and down buttons at the keyboard.

Custom Icon

The button at the right allows you to load a custom icon for your brush. It reveals a file browser below the image browser.



The edit box below the Image shows you the name of the current active brush.



The number right of it, **in this case 2**, indicates how much number of users (internally) this brush uses. This means that this data block (the brush) shares currently settings with at least one other object. Most probably the parent brush where we have created it from. Click at the value to make this brush a single user. The button will vanish then.


F set the brush to have a fake user. Zero user data-blocks are normally not saved. But sometimes you want to force the data to be kept even when the data block has no user.

The + button allows you to add a new pencil with the current settings. Note that the brushes are NOT saved when you close Bforartists. You can save them into the current blend file. Or you can save the startup file. But be careful here. This saves everything else of the current state of Bforartists too.

The X button deletes the brush as the active one. It does NOT delete it from the brushes list.

Brush Settings Panel

The Brush Settings Panel contains the Brush settings. The content differs, dependent of which brush you have chosen.




Brush Settings Panel - Common Settings

These settings can be found in all brushes.

Radius

The Radius edit box allows you to adjust the radius of the brush.



Size Pressure

The first button behind the edit box enables tablet pressure sensitivity for radius.

Use Unified Radius

The second button behind the edit box enables global radius size. Any modification at the radius will also modify the radius value for other paint tools.

Radius Unit

Display the radius value in view units or in scene units. View units are by default in pixels, scene units in meters.

Strength

The Strength edit box allows you to adjust the strength of the brush.



Size Pressure


The first button behind the edit box enables tablet pressure sensitivity for radius.

Use Unified Radius


The second button behind the edit box enables global radius size. Any modification at the radius will also modify the radius value for other paint tools.

Front Faces Only

Front Faces only means that the stroke just affects the vertices that are pointing forwards to the camera.



You need to have the falloff method set to Projected to activate the Front Faces Only checkbox.



Normal Radius

The ratio between the brush radius and the radius that is going to be used to sample the normal.



Hardness

How close the brush fallow starts from the edge of the brush.



Invert Pressure for Hardness

Invert the modulation of pressure in hardness.

Use pressure for hardness

Tablet feature. Use pressure to modulate hardness.

Autosmooth


The autosmooth edit box allows you to adjust the amount of smoothing that gets automatically applied to each stroke.



Use pressure for hardness

Tablet feature. Use pressure to modulate hardness.

Brush Settings Panel - Draw brush




Direction Add / Subtract

Add means the stroke adds to the geometry. Subtract means the stroke subtracts from the geometry.




Brush Settings Panel - Draw Sharp brush




Direction Add / Subtract

Add means the stroke adds to the geometry. Subtract means the stroke subtracts from the geometry.



Brush Settings Panel - Clay brush



Direction Add / Subtract

Add means the stroke adds to the geometry. Subtract means the stroke subtracts from the geometry.



Plane Offset

Adjust the plane on which the brush acts towards or away from the objects surface.

Sculpting with the Clay brush happens in a plane defined by the view you are in and the first vertices hit by the brush.




Plane Trim

Various brushes like Clay, Clay Thumb, Fill and Scrape brush. Enable Plane Trim.

Sculpting with these brushes happens in a plane defined by the view you are in and the first vertices hit by the brush. The trim distance defines a limit above which vertices are not affected by the brush.



Brush Settings Panel - Clay Strip brush



Direction Add / Subtract

Add means the stroke adds to the geometry. Subtract means the stroke subtracts from the geometry.



Plane Offset

Adjust the plane on which the brush acts towards or away from the objects surface.

Sculpting with the Clay brush happens in a plane defined by the view you are in and the first vertices hit by the brush.



Plane Trim

Various brushes like Clay, Clay Thumb, Fill and Scrape brush. Enable Plane Trim. Sculpting with these brushes



happens in a plane defined by the view you are in and the first vertices hit by the brush. The trim distance defines a limit above which vertices are not affected by the brush.

Distance


Adjust the plane trim distance.

Tip roundness

Roundness of the brush tip.



Brush Settings Panel - Clay Thumb brush



Plane Offset

Adjust the plane on which the brush acts towards or away from the objects surface.

Sculpting with the Clay brush happens in a plane defined by the view you are in and the first vertices hit by the brush.



Plane Trim


Various brushes like Clay, Clay Thumb, Fill and Scrape brush. Enable Plane Trim. Sculpting with these brushes happens in a plane defined by the view you are in and the first vertices hit by the brush. The trim distance defines a limit above which vertices are not affected by the brush.



Distance

Adjust the plane trim distance.

Brush Settings Panel - Layer brush



Direction Add / Subtract

Add means the stroke adds to the geometry. Subtract means the stroke subtracts from the geometry.




Height

Layer brush setting. The height that can be affected by the layer brush.



Persistent


Layer brush setting. Sculpt on a persistent layer of the mesh.



Set Persistent Base


This button resets the base so that you can add another layer.

Brush Settings Panel - Inflate brush




Direction Inflate / Deflate

Add or subtract effect of the brush.




Brush Settings Panel - Blob brush



Direction Add / Subtract

Add means the stroke adds to the geometry. Subtract means the stroke subtracts from the geometry.




Magnify

The Crease Brush Pinch Factor.



Brush Settings Panel - Crease brush



Direction Add / Subtract

Add means the stroke adds to the geometry. Subtract means the stroke subtracts from the geometry.



Pinch


The Crease Brush Pinch Factor.



Brush Settings Panel - Smooth brush

Direction Smooth / Enhance



Smooth or enhance the surface detail.



Brush Settings Panel - Flatten brush

Direction Contrast / Flatten

Give more contrast or smooth the surface.



Plane Offset

Adjust the plane on which the brush acts towards or away from the objects surface.

Sculpting with the Clay brush happens in a plane defined by the view you are in and the first vertices hit by the brush.




Plane Trim

Enable Plane Trim. Sculpting with these brushes happens in a plane defined by the view you are in and the first vertices hit by the brush. The trim distance defines a limit above which vertices are not affected by the brush.




Brush Settings Panel - Fill brush



Direction Fill / Deepen

Add or subtract effect of the brush



Plane Offset

Adjust the plane on which the brush acts towards or away from the objects surface.

Sculpting with the Clay brush happens in a plane defined by the view you are in and the first vertices hit by the brush.



Plane Trim

Enable Plane Trim. Sculpting with these brushes happens in a plane defined by the view you are in and the first vertices hit by the brush. The trim distance defines a limit above which vertices are not affected by the brush.



Area Radius

The ratio between the brush radius and the radius that is going to be used to sample the area center.




Size Pressure

Enables tablet pressure sensitivity for radius.

Invert to Scrape

Invert the stroke to a scrape stroke. Does not invert the displacement direction.




Brush Settings Panel - Scrape brush



Direction Fill / Deepen

Add or subtract effect of the brush.



Plane Offset

Adjust the plane on which the brush acts towards or away from the objects surface.

Sculpting with the Clay brush happens in a plane defined by the view you are in and the first vertices hit by the brush.



Plane Trim

Enable Plane Trim. Sculpting with these brushes happens in a plane defined by the view you are in and the first vertices hit by the brush. The trim distance defines a limit above which vertices are not affected by the brush.



Area Radius

The ratio between the brush radius and the radius that is going to be used to sample the area center.



Size Pressure

Enables tablet pressure sensitivity for radius.




Invert to Fill

Use scrape or fill tool when inverting this brush instead of inverting its displacement direction.




Brush Settings Panel - Multi-plane Scrape brush



Plane Angle

Multiplane Scrape brush. The angles between the planes of the crease.



Dynamic Mode

Multiplane Scrape brush. Fit the angles during the stroke to fit the angles under the cursor.

Show Cursor Preview

Multiplane Scrape brush. Preview the plane scrapes in the cursor during the stroke.




Brush Settings Panel - Pinch brush



Direction Magnify / Pinch

Add or subtract effect of the brush.




Autosmooth

The autosmooth edit box allows you to adjust the amount of smoothing that gets automatically applied to each stroke. The button behind the edit box enables tablet pressure sensitivity for autosmooth.



Brush Settings Panel - Grab brush



Normal Weight


How much grab will pull vertexes out of surface during grab.

Grab active Vertex


Apply the maximum grab strength to the active vertex instead of the cursor position.

Grab Silhouette

Grab trying to automask the silhouette of the object.



Brush Settings Panel - Elastic Deform brush





Normal Weight

How much grab will pull vertexes out of surface during grab.

Deformation

The deformation type to use.



Volume Preservation

Poisson ratio for elastic deform. The higher the value is the more the volume is kept. But leads to more bulging.




Brush Settings Panel - Snake Hook brush



Normal Weight

How much grab will pull vertexes out of surface during grab.



Magnify

The Crease Brush Pinch Factor.




Rake

How much grab will follow cursor rotation.




Deformation

The deformation type.




Brush Settings Panel - Thumb brush

Just standard settings.




Brush Settings Panel - Pose brush




Deformation Target

Pose Brush setting. How the deformation of the brush will affect the object.




Deformation

Pose Brush setting. Deformation type that is used in the brush.




Lock Rotation when scaling

With Scale/Translate mode. Do not rotate the segment when using the scale deform mode.




Rotation Origins

Pose Brush setting. Define the rotation origins.



Pose Origin Offset

Pose Brush setting. Offset of the pose origin in relation to the brush radius.



Smooth Iterations

Pose Brush setting. Smooth iterations applied after calculating the pose factor of each vertex.

Pose IK Segments

Pose Brush setting. Number of segments of the IK chain that will deform the mesh.

Keep Anchor Point

Pose Brush setting. Keep the position of the last segment in the IK chain fixed.

Connected only


Affect only topology connected elements.

Max Element Distance

Maximum distance to search for disconnected loose parts in the mesh.


Brush Settings Panel - Nudge brush

Just standard settings.





Brush Settings Panel - Rotate brush

Just standard settings.




Brush Settings Panel - Slide Relax brush



Deformation


The deformation type to use.

Brush Settings Panel - Boundary brush




Deformation Target

The deformation type to use.




Deformation

The deformation type to use.



Boundary Falloff

Boundary brush option. The falloff type.



Boundary Origin Offset

Boundary brush option. Offset of the boundary origin in relation to the brush radius.



Brush Settings Panel - Cloth brush

Persistent

Layer brush setting. Sculpt on a persistent layer of the mesh.

Set Persistent Base

This button resets the base so that you can add another layer.

Simulation Area

Cloth brush. Simulates either only a specific area around the brush or the entire mesh.

Simulation Limit

Cloth brush with local area. Factor added relative to the size of the radius. To limit the cloth simulation effect.

Simulation Falloff





Cloth brush with local area. The area to apply deformation falloff to the effects of the simulation.

Pin Simulation Boundary

Lock the position of the vertices in the simulation falloff area.

Deformation

Cloth brush. The type of cloth deformation that you want to perform.




Force Falloff

Cloth brush. The shape that is used in the brush to apply force to the cloth.



Cloth Mass

Cloth brush. The mass of each simulation particle.



Cloth Damping

Cloth brush. How much the applied forces are propagated through the cloth.

Soft Body Influence


Cloth brush. How much the simulation preserves the original shape, acting as a soft body.

Enable Collision


Cloth brush. Collide with objects during the simulation.

Brush Settings Panel - Simplify brush

Just standard settings.



Brush Settings Panel - Mask brush




Direction Add / Subtract

Add means the stroke adds to the geometry. Subtract means the stroke subtracts from the geometry.




Mask Tool

Draw or smooth the current mask.




Brush Settings Panel - Draw Face Sets brush

Just standard settings.




Brush Settings Panel - Multires Displacement Eraser brush

Just standard settings.




Brush Settings Panel - Multires Displacement Smear brush




Deformation

The deformation method for the smear.



Brush Settings Panel - Paint

Paint allows you to vertex paint at the sculpt mesh.



Primary / Secondary color

Set the primary and secondary color for painting.

Swap colors

Swap the primary with the secondary color.

Use Unified Color

Use the same color over all editors and modes.

Blend Mode

The blending mode for the color.

Flow

Amount of paint applied per stroke sample.

Invert Pressure

Invert pressure.

Use Pressure

Use Pressure. This requires a tablet.

Wet Mix

Mix the existing color into the paint color.

Invert Pressure

Invert pressure.



Use Pressure

Use Pressure. This requires a tablet.

Wet Persistence

Amount of wet paint that stays at the stroke after applying paint to the surface.

Invert Pressure

Invert pressure.

Use Pressure

Use Pressure. This requires a tablet.

Wet Paint Radius

Ratio between the brush radius and the radius that gets used for wet paint.

Density

Amount of random elements that are going to be affected by the brush.

Invert Pressure

Invert pressure.

Use Pressure

Use Pressure. This requires a tablet.

Tip Roundness


Roundness of the brush tip.

Tip Scale X

Scale of the brush tip in X axis.

Brush Settings Panel - Smear

Smear vertex colors.




Deformation

How to deform the smearing.



Brush Settings Panel - Color Picker Sub panel

This sub panel is for the vertex painting paint tool. Define the primary and secondary color for the paint by a color picker and gradient dialog.



Mode

Color / Gradient

Choose the color mode.

Color picker mode

Colorpicker

The color wheel of the color picker.

Primary / Secondary color

Set the primary and secondary color for painting.

Swap colors

Swap the primary with the secondary color.

Use Unified Color


Use the same color over all editors and modes.

Gradient mode

Allows you to paint gradients.

Color Ramp

Color Ramps enables the user to specify a range of colors based on color stops. The color between the color stops gets interpolated.



Controls

+

Add a stop to your color ramp. The stop will be added after the selected one, in the middle to the next one.

-

Deletes the selected color stop from the list.

Tools menu

Flip Color Ramp

Flips the gradient, inverting the values of the color ramp.

Distribute Stops from Left

Rearrange the stops so that every step has the same space to the right.

Distribute Stops Evenly


Space between all neighboring stops becomes equal.

Eyedropper (pipette icon) E

An Eyedropper to sample a color or gradient from the interface to be used in the color ramp.

Reset Color Ramp

Resets the color ramp to its default state.




Color Mode

RGB

Blends color by mixing each color channel and combining.

HSV/HSL

Blends colors by first converting to HSV or HSL, mixing, then combining again. This has the advantage of maintaining saturation between different hues, where RGB would de-saturate, this allows for a richer gradient.



Interpolation

Ease

Uses an Ease Interpolation for the color stops.

Cardinal

Uses a Cardinal Interpolation for the color stops.

Linear


Uses a Linear Interpolation for the color stops.

B-Spline

Uses a B-Spline Interpolation for the color stops.

Constant

Uses a Constant Interpolation for the color stops.



Color Ramp

The color band. A click at one of the color stops makes it the active one. You can move the color stops by clicking at them and dragging them around.



Active Color Stop elements

Adjust the active color stop.



Choose active color stop

Choose the color stop by index.

Pos

The position of the active color stop. The range goes from 0.000 to 1.000



Color

The color of the active color stop. Click at it to change the color.

Background Color

The background color.

Gradient Mapping

How to paint the gradient.



Pressure


Paint the gradient by tablet pressure. Obviously you need a tablet for this.

Repeat

Paint the gradient by repeating the colors.

Gradient Spacing

The spacing between the colors in screen pixels. You need to have a gradient spacing higher than 0.




Clamp

Paint the gradient from first color to last color, and then sticks with the last color. You need to have a gradient spacing higher than 0.

Gradient Spacing

The spacing between the colors in screen pixels.



Brush Settings Panel - Color Palette Sub panel

This sub panel just shows with the paint tool. Define a color palette to use for vertex painting.

Create a color palette for later reuse.

First create a new palette by clicking at New. Then adjust the color in the color picker. And then click at the add button to add this color to the palette.


To set the color picker to a palette color simply click at this palette color.

To remove a color from the palette, choose it, then click at the remove button. The active palette color that gets removed is the one with the triangle at it.

The color palette cannot be saved externally. It is part of the current blend file. You can however append color palettes from other blend files.

The currently active color is the one with the triangle at it.

The elements are explained from left to right.




Palette browser

The button at the left opens a dropdown list. Choose between your palettes.

Edit Box

The name of the currently active palette. You can also rename the palette here. A click into the edit box makes the name editable.



Number of users

See how many users the palette currently has.

Fake User

Fake User sets the element to have a fake user. Zero user data-blocks are normally not saved. But sometimes you want to force the data to be kept even when the data block has no user.

Add palette

Add a new palette.

Remove Palette

Clicking at this button removes the palette. Note that you need to save, close Bforartists and reload the blend file to remove the palette completely.

Add color


Adjust a color in the color picker. Then click at the add button to add this color to the palette.

Remove color

Select the color in the palette, then click at the minus button to remove it.


Sort By

Sort the palette by the chosen method.



Brush Settings Panel - Advanced Sub panel


In this sub panel you can find the not so often used settings. They differ from brush to brush. Have a look at the tool tips.



Global Automasking (Header)

In this sub panel in the header you can define Auto-Masking for scene brush settings.

Note: *These override any brush Auto-Masking settings.*



Automasking

In this group of properties toggles you can define Auto-Masking settings per brush. These are

Topology

Affect only vertices that are connected to the current active vertex under the brush.


Face Sets

Affect only vertices that share face sets with the active vertex.

Mesh Boundary

Do not affect non manifold boundary edges.

The setting that appears on activation and is valid for both, Mesh Boundary and Face Sets Boundary.



Face Sets Boundary


Do not affect vertices that belong to a face set boundary.

The setting that appears on activation and is valid for both, Mesh Boundary and Face Sets Boundary.

Cavity

Do not affect vertices on peaks. This feature is based on the surface curvature.

The setting that appears on activation and is valid for both, Cavity, and Cavity (Inverted).



Cavity (Inverted)

Do not affect vertices in valleys. This feature is based on the surface curvature.

The setting that appears on activation and is valid for both, Cavity, and Cavity (Inverted).

Create Mask

Creates a mask based on the curvature of the surface.

Factor


The contrast of the cavity mask.

Blur

The number of times the cavity mask is blurred

Custom Curve


Use a custom falloff curve for the cavity mask.



Selecting Points


You can select curve points. This reveals two edit boxes for the x and y coordinate of this point.

Selected points can be moved around. Left click at them, hold the mouse button down and move them to a new location.



Adding Points

You can add new curve points by simply left clicking at the curve. Move the mouse to position them where you need it.



Navigation elements

The navigation elements at the top are described from left to right.



Zoom in and out


The two buttons with the magnifying glass at it zooms in and out in the curve window.

Clipping Options

Set up clipping for the stroke.

Use Clipping

Turns clipping on or off.



Min and Max X Y


The values for the clipping area.

Tools

Tools is a menu where you can find some curve related tools.

Reset View

Resets the curve windows zoom.



Extend horizontal

Extends the curve before the first curve point and after the last curve point horizontally.

Extend extrapolated


Extends the curve before the first curve point and after the last curve point extrapolated.

Reset Curve

Resets the curve to the initial shape.

Handle Types

Sets the handle type for the current selected curve point.



X Y Position


The position of the current active curve point.

Delete Points

Deletes the current active curve point.

View Normal

Affect only vertices with a normal that faces the viewer.



Occlusion

Only affect vertices that are not occluded by other faces. With Occlusion on the Limit and Falloff options are not available.

Limit


View normal limit. The range of angles that will be affected.

Falloff

Extend the angular range with a falloff gradient.

Area Normal

Affect only vertices with a similar normal to where the stroke starts.



Limit

Area normal limit. The range of angles that will be affected.

Falloff

Extend the angular range with a falloff gradient.

Sculpt Plane

The sculpt plane defines how the sculpting is aligned. It is a dropdown box. Choose different methods. By default the Area Plane gets used.



Use Original

Normal

When ticked keep using normal of the surface where the stroke was initiated.

Plane

When ticked keep using plane origin of the surface where the stroke was initiated.

Accumulate

Accumulate stroke daubts on top of each other.

Front Faces Only


The brush only affects the vertices that faces the viewer. Projected Falloff Only.

Brush Settings Panel - Texture Subpanel

The Texture panel allows you to sculpt with textures. This allows you for example to grab a foto from some fish scales, and simply sculpt them into the surface of your object by using this image as a pencil. Or as a blueprint where you calk through (Stencil method).


Note that the following shots are made with Symmetry off and without Brush falloff. Since they disturbed.

Symmetry can be turned off a few panels deeper in the Symmetry panel.




Browse Texture to be linked

The image at the top of the panel is a image browser. Choose a texture that you can choose for sculpting then. You can also have more than one image loaded at once.




Adding a texture

The way to add the texture here is a bit more complicated. And not done with clicking at the New button.




First click at the New button below the image. This will create a new texture slot. This slot is still empty, it displays black.

We need to load the texture in this slot. This must be done in the Properties editor in the Textures tab.



And when you switch back to the Tools tab, then the texture finally shows in the Texture panel in the Tool Shelf. And we can use it.



Texture Edit box

The Texture edit box is the edit box below the Image browser. When there's no image loaded then it displays the New button. When there's a image (or more) loaded, then you will see the name of the current texture.

The Fake User button turns this texture into a data block with a fake user. Means it will exists even when there is no data connected to it anymore.

The + Button adds another texture slot. Note that you will have to load a texture too, as explained above.

The X button deletes the texture slot.




Brush Mapping

Our texture can be mapped in different methods. The Brush mapping is a drop down box. Choose this different brush mapping methods.



The settings vary. So we will go through them by the different brush mapping methods.

Brush Mapping with mapping method View Plane and Area Plane



The brush mapping method View Plane maps the brush onto the surface of the object, calculating the mapping from the current view. The result may be distorted when the view does not align with the surface of the object.

The brush mapping method Area Plane maps the brush onto the surface of the object, calculating the mapping from the current view. The result is not distorted.



Angle edit box

Adjust the angle of the brush.

Rake

The angle follows the direction of the brush stroke.

Random

The brush angle gets set random.

Random edit box

Becomes visible when you tick Random. Adjust the maximum value of the random angle.

Offset

Fine tune the offset of the texture in the brush.

Size

Fine tune the size of the texture in the brush.

Sample Bias



Add to or subtract from the amount that gets added by the brush texture.

Vector Displacement

Just Area Plane. Handles each pixel color as an individual vector for displacement.

Brush Mapping with mapping method Tiled

The brush mapping method View Plane maps the brush onto the surface of the object, and tiles the pencil onto the surface. The mapping happens from the View plane. Means you get distortions when you sculpt from an angle.



Angle edit box

Adjust the angle of the brush.

Offset

Fine tune the offset of the texture in the brush.

Size



Fine tune the size of the texture in the brush.

Sample Bias

Add to or subtract from the amount that gets added by the brush texture.

Brush Mapping with mapping method 3D

The brush mapping method View Plane and Area Plane sculpts where the pencil is. The method 3D sculpts at the initial position of the pencil, as long as you don't release the mouse. The mapping happens from the View plane. Means you get distortions when you sculpt from an angle.



Offset

Fine tune the offset of the texture in the brush.


Size

Fine tune the size of the texture in the brush.


Sample Bias

Add to or subtract from the amount that gets added by the brush texture.

Brush Mapping with mapping method Random



The brush mapping method Random randomizes the texture position of the pencil texture. And so it sculpts random fragments of the pencil.



Angle edit box

Adjust the angle of the brush.

Rake

The angle follows the direction of the brush stroke.

Random

The brush angle gets set random.

Random edit box

Becomes visible when you tick Random. Adjust the maximum value of the random angle.

Offset

Fine tune the offset of the texture in the brush.

Size

Fine tune the size of the texture in the brush.


Sample Bias

Add to or subtract from the amount that gets added by the brush texture.

Brush Mapping with mapping method Stencil

The former methods uses the textures for the brush. The method Stencil works different. You have your texture displayed in the workspace above the object, and you paint this texture onto your object with your pencil strokes.

Note that the texture in the 3d space is just visible when you are with the mouse over the viewport.






Image Aspect

Adjust the stencil size to fit to the image aspect ratio.

Angle edit box

Adjust the angle of the brush. The button at the end allows you to set the radius by dragging the mouse. This should be done in the viewport and with the hotkey. This button is just a visible reminder.


Angle 0°

Offset

Fine tune the offset of the texture in the brush.

Stencil Texture Controls

You can find the controls to modify the position, rotation and scale of the stencil texture in the Brush menu in the 3D view. This happens by Hotkeys.





Brush Settings Panel - Stroke Sub panel

The Stroke panel contains settings to influence the behavior of the brush stroke. There are various stroke methods available. We will go through them one by one.

Stroke Panel with Stroke method Space

This is the default Stroke method. The sculpt stroke gets added continuously with given settings.






Spacing Edit Box

The sculpt drawing happens by mapping the pencil onto the mouse position. And when you move the mouse then the next mapping happens. Adjust the spacing after what mouse movement the next mapping should happen. The lower the value, the lower the distance between the single dots.



Spacing Pressure

The icon behind the edit box enables tablet pressure sensitivity for tablets.



Spacing Distance

If the spacing happens in View or in Scene distance.

Adjust Strength for Spacing

Automatically adjust the strength to give consistent results for different spacing.



Dash Ratio

Ratio of samples in a cycle that the brush is enabled.

Dash Length

Length of a dash cycle measured in stroke samples.

Jitter Edit Box

Add Jitter to the brush while painting.



Jitter Pressure

The icon behind the edit box enables tablet pressure sensitivity for tablets.

Jitter Unit


If the jitter happens in screen space in pixels, or relative to the brush size.

Input Samples Edit Box

Average multiple input samples together to smooth the brush stroke.

Stabilize Stroke

When activated then the brush lags behind the mouse position, and produces a much smoother stroke by that. It is a sub panel with two settings.



Smooth Stroke Radius Edit Box

Adjust the radius of the smoothing.

Smooth Stroke Factor Edit Box


Adjust the factor of the smoothing.




Stroke Panel with Stroke method Curve

The Stroke method curve doesn't simply influence the way how the stroke is painted.

It is a special method. First you draw a curve object by holding down ctrl and clicking with left mouse button. Then you tweak the curve. You can click at the curve point, and drag out handlers to make the curve points smooth.

Then you hit the Draw Curve button. And the curve gets sculpted.







Spacing Edit Box

The sculpt drawing happens by mapping the pencil onto the mouse position. And when you move the mouse then the next mapping happens. Adjust the spacing after what mouse movement the next mapping should happen. The lower the value, the lower the distance between the single dots.

The icon behind the edit box enables tablet pressure sensitivity for tablets.



Spacing Distance

If the spacing happens in View or in Scene distance.


Adjust Strength for Spacing

Automatically adjust the strength to give consistent results for different spacing.

Paint Curve edit box

Here you set the active curve.

The first element is a drop down box where you will find your curves objects. You can have more than one.



The second element is the edit box that displays the active curve.

Fake User set the brush to have a fake user. Zero user data-blocks are normally not saved. But sometimes you want to force the data to be kept even when the data block has no user.

The + button allows you to add a new pencil with the current settings. Note that the brushes are NOT saved when you close Bforartists. You can save them into the current blend file. Or you can save the startup file. But be careful here. This saves everything else of the current state of Bforartists too.

The X button deletes the brush as the active one. It does NOT delete it from the brushes list.

Draw Curve Button

A click at it to turns the curve into a sculpt stroke.

Jitter Edit Box

Add Jitter to the brush while painting.



Jitter Pressure

The icon behind the edit box enables tablet pressure sensitivity for tablets.

Jitter Unit

If the jitter happens in screen space in pixels, or relative to the brush size.


Input Samples Edit Box


Average multiple input samples together to smooth the brush stroke.



Stroke Panel with Stroke method Line

With Stroke method line you draw a line between a starting point and an endpoint. And when you release the mouse then the line gets sculpted.







Spacing Edit Box

The sculpt drawing happens by mapping the pencil onto the mouse position. And when you move the mouse then the next mapping happens. Adjust the spacing after what mouse movement the next mapping should happen. The lower the value, the lower the distance between the single dots.

The icon behind the edit box enables tablet pressure sensitivity for tablets.



Spacing Distance

If the spacing happens in View or in Scene distance.

Adjust Strength for Spacing

Automatically adjust the strength to give consistent results for different spacing.

Jitter Edit Box

Add Jitter to the brush while painting.



Jitter Pressure

The icon behind the edit box enables tablet pressure sensitivity for tablets.

Jitter Unit

If the jitter happens in screen space in pixels, or relative to the brush size.



Input Samples Edit Box

Average multiple input samples together to smooth the brush stroke.



Stroke Panel with Stroke method Airbrush

The sculpt stroke acts like an airbrush pencil. The dots gets placed randomly.



Rate Edit Box

Define the rate of the drawing.



Spacing Distance

If the spacing happens in View or in Scene distance.

Jitter Edit Box

Add Jitter to the brush while painting.



Jitter Pressure

The icon behind the edit box enables tablet pressure sensitivity for tablets.

Jitter Unit

If the jitter happens in screen space in pixels, or relative to the brush size.


Input Samples Edit Box

Average multiple input samples together to smooth the brush stroke.



Stabilize Stroke

When activated then the brush lags behind the mouse position, and produces a much smoother stroke by that. Smooth stroke has two settings.



Smooth Stroke Radius Edit Box



Adjust the radius of the smoothing.

Smooth Stroke Factor Edit Box

Is just active when Smooth Stroke is activated. Adjust the factor of the smoothing.

Stroke Panel with Stroke method Anchored

Click and drag to place a dot and to scale it.



Edge to Edge

Without Edge to Edge the scaling happens from the center of the brush. With edge to edge the scaling happens from the edge of the brush.

Spacing Distance

If the spacing happens in View or in Scene distance.

Input Samples Edit Box


Average multiple input samples together to smooth the brush stroke.


Stroke Panel with Stroke method Drag dot

Click and drag to place a dot.

Spacing Distance

If the spacing happens in View or in Scene distance.







Input Samples Edit Box

Average multiple input samples together to smooth the brush stroke.



Stroke Panel with Stroke method dot



Spacing Distance

If the spacing happens in View or in Scene distance.

Jitter Edit Box

Add Jitter to the brush while painting.

The icon behind the edit box enables tablet pressure sensitivity for tablets.



Jitter Unit

Jitter in screen space or relative to the brush size.


Input Samples Edit Box

Average multiple input samples together to smooth the brush stroke.



Stabilize Stroke

When activated then the brush lags behind the mouse position, and produces a much smoother stroke by that. Smooth stroke has two settings.



Smooth Stroke Radius Edit Box



Adjust the radius of the smoothing.

Smooth Stroke Factor Edit Box

Adjust the factor of the smoothing.


Brush Settings Panel - Falloff Sub panel

The Falloff panel allows you to define different falloffs methods for the border of the brush.



Presets


The different available falloff presets. The method custom allows you to define your own falloff. And reveals a curve panel.



Selecting Points


You can select curve points. This reveals two edit boxes for the x and y coordinate of this point.

Selected points can be moved around. Left click at them, hold the mouse button down and move them to a new location.



Adding Points

You can add new curve points by simply left clicking at the curve. Move the mouse to position them where you need it.



Navigation elements

The navigation elements at the top are described from left to right.



Zoom in and out

The two buttons with the magnifying glass at it zooms in and out in the curve window.

Tools

Tools is a menu where you can find some curve related tools.

Reset View

Resets the curve windows zoom.

Vector Handle

Set handle type to Vector.

Auto Handle


Set handle type to Auto.

Auto Clamped Handle

Set handle type to Auto Clamped.


Reset Curve

Resets the curve to the initial shape.



Use Clipping

Clipping options. Set up clipping for the stroke. The blue button at the top turns clipping on or off.



Delete Points

Deletes the selected curve point.

Curve Presets

Predefined curve presets as a starting point.



Falloff Shape

Use projected or spherical falloff.




Brush Settings Panel - Cursor Sub panel

Change the appearance of the brush cursor.

Cursor checkbox in header

Show or hide the brush cursor.



Cursor Color


The cursor color with add operations.

Inverse Color

The cursor color with subtract operations.

Falloff Opacity

You can turn on the cursor overlay with the eye button at the end. The falloff opacity slider allows you to adjust the opacity of this cursor overlay.



Override Overlay

Hide the Cursor Overlay when painting.

Use Cursor Overlay

Turn on Cursor Overlay.

Texture Opacity

This is for the case when you paint with a texture brush. You can turn on the Texture overlay with the eye button at the end. The falloff opacity slider allows you to adjust the opacity of this cursor overlay.

Override Overlay

Hide the Texture Overlay when painting.


Use Cursor Overlay

Turn on Texture Overlay.

Dyntopo Panel

Dyntopo stands for Dynamic Topology Sculpting.

Without Dyntopo you just deform the existing geometry. With Dyntopo geometry gets subdivided when needed. This makes it possible to sculpt complex shapes out of a block.




Left without Dyntopo, right with Dyntopo.

Note: Some brushes are incompatible with Dyntopo.

Brushes that are incompatible are the Grab brush, Rotate brush, Thumb brush, Layer brush, Smooth brush (including alt-key smoothing with a different brush) and Mask brush.

The topology will also not update if the stroke mode is Anchored or Drag Dot.



Detailing


Define the Detail Type method.

Relative Detail

Mesh Detail is relative to brush size and detail size

Brush Detail

Mesh Detail is relative to brush radius.



Constant Detail


Mesh detail is constant in object space according to detail size.

Manual Detail

Mesh detail does not change on each stroke. But just on flood fill

Refine method

Define the Detail refine method.



Subdivide Collapse

Both methods in one. Subdivide long edges to add mesh detail where needed. And collapse short edges to remove mesh detail where possible.

Collapse Edges

Collapse short edges to remove mesh detail where possible.

Subdivide Edges

Subdivide long edges to add mesh detail where needed.

Resolution

The Resolution defines how fine the subdivision will be.



The edit box below does the same. But with a slider, and without visible feedback in form of a widget.

Sample detail size picker

This pipette allows you to pick the current resolution from a mesh.


To activate the tool, hover with the mouse over the mesh and left click to apply.

Note: This work in the Constant and Manual methods exclusively.

Remesh Panel


You may create a sculpt mesh that has ways too many polygons. Or too many polygons at one area, and not enough polygons at another area. Remeshing recreates the mesh geometry, with a more uniform topology.

Remesh does not work with Dyntopo enabled. You need to turn it off for remeshing.



Mode

The Remesher in Sculpt mode uses the Voxel remesher by default. When you want to remesh with the Quadriflow method, then switch to Quad remesher. Quad remesher has no further options.



Voxel Size

Adjust the density of the new created geometry

Sample Detail Size

With this picker you can pick the density from an area of your mesh.

Adaptivity

Reduces the final face count by simplifying geometry where detail is not needed. This method uses tris. A value greater than 0 disables the Fix Poles feature.

Fix Poles

Produce less poles and a better topology flow.

Smooth Normals

Smooths the normals of the result.

Preserve

Volume

Tries to preserves the volume of the original mesh.

Attributes


Keep existing paint masks, face sets, vertex color and other generic mesh attributes on the new mesh.

Voxel Remesh / Quadriflow Remesh

Starts the remesh operation.

Symmetry Panel


The Symmetry Lock panel contains tools around symmetry and lock features. Here you can turn on or off mirroring along axis, etc.



Mirror

Mirror sculpt along activated axis. By default the mirroring is activated around X axis.

The same buttons plus the whole Symmetry Lock Panel as a drop down menu can also be found in the tool settings bar as icon buttons. This allows quicker access and better visual control which mirror axis is currently active.



Lock

Disallow vertices movement in locked axis direction.

Tiling


Produces a mesh that is tilable in the activated directions.

Feather

Reduce the strength of the brush where it overlaps symmetrical daubs.


Radial

Adjust the repeating across some axis. For example, when you change Z to 32, then you can draw 32 segments simultaneously around the Z axis instead of just one, distributed around the Z axis.



Tile Offset

Adjust the offset of the tiling.



Symmetrize

Direction

The direction in which the mirroring happens.

Merge Distance

The distance to merge vertices with symmetrizing.

Symmetrize

Symmetrize the topology modifications.

Sculpt Mode - Options Panel

Display

Fast Navigate


For Multires, show Low Res mesh when navigating.

Delay Viewport Updates

Update the geometry when it enters the view. This enables a faster viewport navigation.

Use Deform only

Use only deformation modifiers (The other constructive modifiers except multi-resolution gets temporary disabled)



Display

Topology

Affect only vertices connected to the active vertex under the brush.

Face Sets

Affect only vertices that share face sets with the active vertex.

Mesh Boundary

Do not affect non manifold boundary edges.

Face Sets Boundary

Do not affect vertices that belongs to a face set boundary.

Cavity

Do not affect vertices at the peaks. Based on the surface curvature.

Cavity (Inverted)

Do not affect vertices in the valleys. Based on the surface curvature.

Area Normal

Affect only vertices with a similar normal to where the stroke starts.

View Normal

Affect only vertices with a normal that faces to the view.

Propagation Steps


Distance where boundary edge automasking is going to protect vertices from the fully masked edge.

Gravity sub panel

A panel with the gravity settings. Add gravity after each stroke.

Factor

The factor slider defines the amount.



Orientation

Here you define an object that gets used to determine the gravity from. The Z axis of this object gets used.