



## 7.3.8 Editors - 3D Viewport - Sidebar - Tool Tab - Texture Paint Mode

### Table of content

Detailed table of content.....	2
Tools Tab in Texture Paint Mode.....	7
Requirements.....	7
Save Texture.....	7
Brush Asset Panel.....	8
Browse Brush.....	8
Brush Specials menu.....	8
Brush settings Panel.....	9
Brush Panel.....	9
Brush Settings Panel - Color Picker Sub panel.....	10
Brush colors flip.....	11
Use unified Color.....	11
Brush Settings Panel - Color Palette Sub panel.....	11
Palette browser.....	11
Edit Box.....	11
Number of users.....	11
Fake User.....	12
Add palette.....	12
Remove Palette.....	12
Sort By.....	12
Brush Settings Panel - Advanced Subpanel.....	12
Sharpen / Soften (Soften Brush).....	12
Blur Mode (Soften Brush).....	12
Mask Value (Mask brush).....	12
Brush Settings Panel - Texture Subpanel.....	13
Browse Texture to be linked.....	13
Brush Mapping.....	14
Brush Settings Panel - Texture Mask Subanel.....	18
Browse Texture to be linked.....	18
Brush Mapping with mapping method Tiled.....	19
Brush Mapping with mapping method View Plane.....	20
Brush Settings Panel - Stroke Sub panel.....	23
Stroke Panel with Stroke method Space.....	23
Stroke Panel with Stroke method Curve.....	24
Stroke Panel with Stroke method Line.....	26
Stroke Panel with Stroke method Anchored.....	27
Brush Settings Panel - Falloff Sub panel.....	30
Selecting Points.....	30
Adding Points.....	30
Navigation elements.....	30
Brush Settings Panel - Cursor Sub panel.....	32
Cursor Checkbox.....	32
Cursor Color.....	32
Falloff Opacity.....	32
Texture Opacity.....	32

Mask Texture Opacity.....	33
Brush Settings Panel - Clone from Paint Slot Sub panel.....	33
Symmetry Panel.....	33
Symmetry Panel.....	33
Options Panel.....	34
Bleed.....	34
Dither.....	34
Occlude.....	34
Backface Culling.....	34
External.....	34

## Detailed table of content

### Detailed table of content

Detailed table of content.....	2
Tools Tab in Texture Paint Mode.....	7
Requirements.....	7
Save Texture.....	7
Brush Asset Panel.....	8
Browse Brush.....	8
Brush Specials menu.....	8
Edit Metadata.....	8
Catalog.....	8
Author.....	8
Description.....	8
OK / Cancel.....	8
Edit Preview Image.....	8
Save Brush Asset.....	9
Revert Brush Asset.....	9
Name.....	9
Brush settings Panel.....	9
Brush Panel.....	9
Blend.....	10
Radius.....	10
Size Pressure.....	10
Use Unified Radius.....	10
Strength.....	10
Size Pressure.....	10
Use Unified Radius.....	10
Brush Settings Panel - Color Picker Sub panel.....	10
Brush colors flip.....	11
Use unified Color.....	11
Brush Settings Panel - Color Palette Sub panel.....	11
Palette browser.....	11
Edit Box.....	11
Number of users.....	11
Fake User.....	12
Add palette.....	12
Remove Palette.....	12
Sort By.....	12

Brush Settings Panel - Advanced Subpanel.....	12
Accumulate.....	12
Affect Alpha.....	12
Sharpen / Soften (Soften Brush).....	12
Sharp Threshold.....	12
Blur Mode (Soften Brush).....	12
Mask Value (Mask brush).....	12
Brush Settings Panel - Texture Subpanel.....	13
Browse Texture to be linked.....	13
Texture Edit box.....	14
Brush Mapping.....	14
Brush Mapping with mapping method Tiled.....	15
Angle.....	15
Offset.....	15
Size.....	15
Brush Mapping with mapping method View Plane.....	15
Angle.....	15
Rake.....	15
Random.....	15
Offset.....	15
Size.....	15
Brush Mapping with mapping method 3D.....	16
Offset.....	16
Size.....	16
Brush Mapping with mapping method Random.....	16
Angle.....	16
Rake.....	16
Random.....	16
Brush Mapping with mapping method Stencil.....	16
Image Aspect.....	17
Reset Transform.....	17
Angle edit box.....	17
Offset.....	17
Size.....	17
Brush Settings Panel - Texture Mask Subpanel.....	18
Browse Texture to be linked.....	18
Brush Mapping with mapping method Tiled.....	19
Pressure Masking.....	19
Angle.....	20
Offset.....	20
Size.....	20
Brush Mapping with mapping method View Plane.....	20
Pressure Masking.....	20
Angle.....	20
Rake.....	20
Random.....	20
Offset.....	20
Size.....	20
Brush Mapping with mapping method Random.....	21
Pressure Masking.....	21
Angle.....	21
Rake.....	21
Random.....	21

Offset.....	21
Size.....	21
Brush Mapping with mapping method Stencil.....	22
Reset Transform.....	22
Pressure Masking.....	22
Angle edit box.....	22
Offset.....	22
Size.....	23
Brush Settings Panel - Stroke Sub panel.....	23
Stroke Panel with Stroke method Space.....	23
Spacing Edit Box.....	23
Spacing Pressure.....	23
Adjust Strength for Spacing.....	23
Dash Ratio.....	23
Dash Length.....	23
Jitter Edit Box.....	24
Spacing Pressure.....	24
Jitter Unit.....	24
Input Samples Edit Box.....	24
Stabilize Stroke.....	24
Smooth Stroke Radius Edit Box.....	24
Smooth Stroke Factor Edit Box.....	24
Stroke Panel with Stroke method Curve.....	24
Spacing Edit Box.....	25
Adjust Strength for Spacing.....	25
Paint Curve edit box.....	25
Draw Curve Button.....	26
Jitter Edit Box.....	26
Jitter Pressure.....	26
Jitter Unit.....	26
Input Samples Edit Box.....	26
Stroke Panel with Stroke method Line.....	26
Spacing Edit Box.....	26
Adjust Strength for Spacing.....	27
Jitter Edit Box.....	27
Jitter Pressure.....	27
Jitter Unit.....	27
Input Samples Edit Box.....	27
Stroke Panel with Stroke method Anchored.....	27
Edge to edge.....	27
Jitter Edit Box.....	27
Jitter Pressure.....	27
Jitter Unit.....	27
Input Sample Edit Box.....	27
Stroke Panel with Stroke method Airbrush.....	28
Rate Edit Box.....	28
Jitter Edit Box.....	28
Jitter Pressure.....	28
Jitter Unit.....	28
Input Samples Edit Box.....	28
Stabilize Stroke.....	28
Smooth Stroke Radius Edit Box.....	28
Smooth Stroke Factor Edit Box.....	28


Stroke Panel with Stroke method Drag Dot.....	28
Jitter Edit Box.....	29
Jitter Pressure.....	29
Jitter Unit.....	29
Input Samples Edit Box.....	29
Stroke Panel with Stroke method Dots.....	29
Jitter Edit Box.....	29
Jitter Pressure.....	29
Jitter Unit.....	29
Input Samples Edit Box.....	29
Stabilize Stroke.....	29
Smooth Stroke Radius Edit Box.....	29
Smooth Stroke Factor Edit Box.....	30
Brush Settings Panel - Falloff Sub panel.....	30
Selecting Points.....	30
Adding Points.....	30
Navigation elements.....	30
Zoom in and out.....	30
Tools.....	31
Reset View.....	31
Vector Handle.....	31
Auto Handle.....	31
Auto Clamped Handle.....	31
Reset Curve.....	31
Use Clipping.....	31
Delete Points.....	31
Curve window.....	31
Curve Presets.....	31
Falloff Shape.....	31
Normal Falloff.....	32
Angle.....	32
Brush Settings Panel - Cursor Sub panel.....	32
Cursor Checkbox.....	32
Cursor Color.....	32
Falloff Opacity.....	32
Override Overlay.....	32
Use Cursor Overlay.....	32
Texture Opacity.....	32
Override Overlay.....	32
Use Cursor Overlay.....	33
Mask Texture Opacity.....	33
Override Overlay.....	33
Use Cursor Overlay.....	33
Brush Settings Panel - Clone from Paint Slot Sub panel.....	33
Symmetry Panel.....	33
Symmetry Panel.....	33
Options Panel.....	34
Bleed.....	34
Dither.....	34
Occlude.....	34
Backface Culling.....	34
External.....	34
Screen Grab Size.....	34

Quick Edit.....	34
Apply.....	34
Apply Camera Image.....	34
Workflow for external editing.....	35
Preparations.....	35
Usage.....	35

## Tools Tab in Texture Paint Mode



The Texture Paint Mode provides you the tools to paint directly at the texture of your mesh in the viewport. To fix visible seams for example.

The Texture Paint mode is just available for mesh objects.



## Requirements

Texture Painting requires to have a working UV mapping and a texture applied. When there is no UV mapping and no assigned texture, then you will get a warning about No Texture. You have to create a texture slot first.




Open the Texture Paint Slot drop down menu, and choose Base Color. This will call a menu. Create a new blank texture.

## Save Texture

The result of texture painting can be found and be saved in the UV Image Editor. You can also paint in the UV editor.

The modified texture does NOT save with the scene. You have to save out the image when you want to save the changes at the texture. There is no warning. So DON'T FORGET TO SAVE THE TEXTURE.




## Brush Asset Panel

The Brush Asset Panel contains the different Brushes and some Brush settings. Choose and adjust your current active brush.



### Browse Brush


The big image at the top is a dropdown box that allows you to choose a brush. Click at it, and you will see the different brushes. A click at one of the images will choose this brush then.



Brushes are assets. You can load them from different libraries if you want.


### Brush Specials menu

This menu becomes active when you create a new brush. Which can be done with the Plus button in the name property. This data cannot be changed for built-in system brushes.



### Edit Metadata

Calls a popup where you can adjust further informations and settings for the brush.



### Catalog

The asset catalog in which the brush is stored.

### Author

The brush author.

### Description

Add a description

### OK / Cancel

Accept or decline the changes.

### Edit Preview Image

Allows you to load a custom preview image.

## Save Brush Asset

This button is just active with a custom brush. It saves all changes made at the brush settings into the current custom brush.

## Revert Brush Asset


Reverts the brush settings to the default values of the brush in the asset library.

## Name

The edit box below the Image shows the name of the current active brush.

**The + button** allows you to add a new pencil with the current settings. Note that the brushes are NOT automatically saved when you close Bforartists. You need to save the brush asset. See above.


**The X button** deletes the brush from the brushes list and from the asset library. This button is just active with a custom brush. You will be prompted by a warning so that you don't accidentally remove the brush.



## Brush settings Panel


## Brush Panel

The Brush Panel contains the different paint brushes, a color dialog, and some brush settings.



## Blend

Define how the stroke will blend. You can choose between various blend modes.



## Radius

The Radius edit box allows you to adjust the radius of the brush. The button behind the edit box enables tablet pressure sensitivity for radius.

### **Size Pressure**

The first button behind the edit box enables tablet pressure sensitivity for radius.

### **Use Unified Radius**

The second button behind the edit box enables global radius size. Any modification at the radius will also modify the radius value for other paint tools.

## Strength

The Strength edit box allows you to adjust the strength of the brush. The button behind the edit box enables tablet pressure sensitivity for strength.

### **Size Pressure**

The first button behind the edit box enables tablet pressure sensitivity for radius.

### **Use Unified Radius**

The second button behind the edit box enables global radius size. Any modification at the radius will also modify the radius value for other paint tools.

## Brush Settings Panel - Color Picker Sub panel

Define the color for your brush.

The active color is the left one. When you click the button with the two arrows down right then you can swap the color with the secondary color. Then this secondary color



becomes the primary color, and is active.

A click at one of the color fields will open a more detailed color dialog, where you can set up the color by using rgb, hsv and hex colors and with value sliders.



## Brush colors flip

Flips the primary color with the secondary color.

## Use unified Color

Choose if you want to use global colors or local color just for vertex painting.

## Brush Settings Panel - Color Palette Sub panel

Create a color palette for later reuse.


First create a new palette by clicking at New. Then adjust the color in the color picker. And then click at the add button to add this color to the palette.

To set the color picker to a palette color simply click at this palette color.

To remove a color from the palette, choose it, then click at the remove button. The active palette color that gets removed is the one with the triangle at it.


The color palette cannot be saved externally. It is part of the current blend file. You can however append color palettes from other blend files.

The elements are explained from left to right.



## Palette browser

The button at the left opens a dropdown list where you can choose between your palettes.



## Edit Box

The name of the currently active palette. You can also rename the palette here. A click into the edit box makes the name editable.

## Number of users

See how many users the palette currently has.

## Fake User

Fake User sets the element to have a fake user. Zero user data-blocks are normally not saved. But sometimes you want to force the data to be kept even when the data block has no user.

## Add palette


Add a new palette.

## Remove Palette

Clicking at this button removes the palette. Note that you need to save, close Bforartists and reload the blend file to remove the palette completely.


## Sort By

Sort the palette by the chosen method.



## Brush Settings Panel - Advanced Subpanel

Brush specific settings.




### Accumulate

Accumulate stroke daubts on top of each other.

### Affect Alpha

When disabled then the alpha is locked while painting.

## Sharpen / Soften (Soften Brush)



### Sharp Threshold


The threshold below which no sharpening is performed.

## Blur Mode (Soften Brush)

Choose the blur method. Gaussian or Box.


## Mask Value (Mask brush)

The vertex weight when brush is applied.



## Brush Settings Panel - Texture Subpanel

The Texture panel allows you to paint with textures. This allows you for example to grab a foto from some fish scales, and simply paint them onto the vertices by using this image as a pencil. Or as a blueprint where you calk through ( Stencil method ).




### Browse Texture to be linked

The image at the top of the panel is a image browser. Choose a texture that you can choose for vertex painting then. You can also have more than one image loaded at once.



In this shot there is already a texture added. The way to add the texture here is a bit more complicated. And not done with clicking at the New button.


First click at the New button below the image. This will create a new texture slot. This slot is still empty, it displays black.




We need to load the texture in this slot. This must be done in the Properties editor in the Textures tab. And then the texture finally shows in the Texture panel in the Tool Shelf.

The problem is, we have an object with a material and a texture already selected. And when we change this texture , then we don't get the pencil texture loaded. But we change the texture at our mesh.

What we need to do is to create a material first. And in this material we load our pencil texture then. And then this texture becomes available in the image browser of the Texture panel.



And when we switch back to the tools tab, then the texture is loaded. And we can work with this texture.



## Texture Edit box



The Texture edit box is the edit box below the Image browser. When there's no image loaded then it displays the New button. When there's a image (or more) loaded, then you will see the name of the current texture.

**The F button** turns this texture into a data block with a fake user. Means it will exists even when there is no data connected to it anymore.

When you activate Fake User, then you may get a value in front of it, which displays how much users this data block (our texture slot) currently has.


**The + Button** adds another texture slot. Note that you will have to load a texture too, as explained above.

**The X button** deletes the texture slot.

## Brush Mapping


Our texture can be mapped in different methods. The Brush mapping is a dropdown box where you can choose this different brush mapping methods.

The settings vary. So we will go through them by the different brush mapping methods.



## Brush Mapping with mapping method Tiled

The brush mapping method Tiled tiles the brush stroke at the surface. The mapping happens from the current view. The result may be distorted when the view does not align with the surface of the object.



### Angle


The angle of the brush.

### Offset

The offset of the texture in the brush.

### Size

The size of the texture in the brush.



## Brush Mapping with mapping method View Plane

The brush mapping method View Plane simply paints onto the surface. The mapping happens from the current view. The result may be distorted when the view does not align with the surface of the object.



### Angle


The angle of the brush.

### Rake

The angle follows the direction of the brush stroke.

### Random

The brush angle gets set random.



### Offset


The offset of the texture in the brush.

### Size

The size of the texture in the brush.

## Brush Mapping with mapping method 3D

The brush mapping method 3D paints the texture at the surface, by tiling it 1/1 at the object surface.




### Offset

The offset of the texture in the brush.


### Size

The size of the texture in the brush.



## Brush Mapping with mapping method Random

The brush mapping method Random paints onto the surface, and randomizes the texture position in the brush while that. The mapping happens from the current view. The result may be distorted when the view does not align with the surface of the object.



### Angle


The angle of the brush.

### Rake

The angle follows the direction of the brush stroke.


### Random

The brush angle gets set random.




## Brush Mapping with mapping method Stencil

The former methods uses the textures for the brush. The method Stencil works different. You have your texture displayed in the workspace above the object, and you paint this texture onto your object with your pencil strokes.



Note that the texture in the 3d space is just visible when you are with the mouse over the viewport.

It gets by default displayed down left. You have to position it where you need it. See Brush menu, Stencil Texture controls.



## ***Image Aspect***

Adjust the stencil size to fit to the image aspect ratio.

## ***Reset Transform***

Resets the stencil image to be down right in the 3D view.

## ***Angle edit box***

Adjust the angle of the brush. The button at the end allows you to set the radius by dragging the mouse. This should be done in the viewport and with the hotkey. This button is just a visible reminder.

## ***Offset***



Fine tune the offset of the texture in the brush.

## ***Size***

Fine tune the size of the texture in the brush.


## Brush Settings Panel - Texture Mask Subpanel

The texture mask subpanel allows you to use a texture as a mask to define the strength of painting. In the shot example we use a tiled fishscale Texture as a pencil, and a stencil map as our texture mask. And it paints just where the mask texture is bright. You can of course use gradients here to define the paint strength.




## Browse Texture to be linked

The image at the top of the panel is a image browser. Choose a texture that you can choose for painting then. You can also have more than one image loaded at once.



In this shot there is already two textures added. The way to add the texture here is a bit more complicated. And not done with clicking at the New button.


First click at the New button below the image. This will create a new texture slot. This slot is still empty, it displays black.




We need to load a texture in this slot. This must be done in the Properties editor in the Textures tab.

The problem is, we have an object with a material and a texture already selected. And when we change this texture, then we don't get the pencil texture loaded. But we change the texture at our mesh.

What we need to do is to create a material first. And in this material we load our pencil texture then. And then we can choose this texture in the image browser of the texture.





And when we switch back to the tools tab, then the texture is loaded. And we can work with this texture.



## Brush Mapping with mapping method Tiled

The brush mapping method Tiled tiles the brush stroke at the surface. The mapping happens from the current view. The result may be distorted when the view does not align with the surface of the object.



## Pressure Masking

A dropdown box to choose the mask pressure mode for tablets.



## Angle

The angle of the brush.

## Offset



The offset of the texture in the brush.

## Size

The size of the texture in the brush.

## Brush Mapping with mapping method View Plane

The brush mapping method View Plane simply paints onto the surface. The mapping happens from the current view. The result may be distorted when the view does not align with the surface of the object.



## Pressure Masking

A dropdown box to choose the mask pressure mode for tablets.



## Angle

The angle of the brush.

## Rake

The angle follows the direction of the brush stroke.

## Random

The brush angle gets set random.

## Offset



The offset of the texture in the brush.

## Size

The size of the texture in the brush.

## Brush Mapping with mapping method Random

The brush mapping method Random paints onto the surface, and randomizes the texture position in the brush while that. The mapping happens from the current view. The result may be distorted when the view does not align with the surface of the object.



## Pressure Masking

A dropdown box to choose the mask pressure mode for tablets.



## Angle

The angle of the brush.

## Rake

The angle follows the direction of the brush stroke.

## Random

The brush angle gets set random.

## Offset

The offset of the texture in the brush.




## Size

The size of the texture in the brush.

## Brush Mapping with mapping method Stencil

The former methods uses the textures for the brush. The method Stencil works different. You have your texture displayed in the workspace above the object, and you paint this texture onto your object with your pencil strokes.

Note that the texture in the 3d space is just visible when you are with the mouse over the viewport. Note that the texture in the 3d space is just visible when you are with the mouse over the viewport. It gets by default displayed down left. You have to position it where you need it. See Brush menu, Stencil Texture controls.




## Reset Transform

Resets the stencil transformation to default.

## Pressure Masking

A dropdown box to choose the mask pressure mode for tablets.



## Angle edit box

Adjust the angle of the brush. The button at the end allows you to set the radius by dragging the mouse. This should be done in the viewport and with the hotkey. This button is just a visible reminder.

## Offset

Fine tune the offset of the texture in the brush.

## Size



Fine tune the size of the texture in the brush.

## Brush Settings Panel - Stroke Sub panel

The Stroke panel contains settings to influence the behavior of the brush stroke. There are various stroke methods available. We will go through them one by one.


## Stroke Panel with Stroke method Space

This is the default Stroke method. The sculpt stroke gets added continuously with given settings.



## Spacing Edit Box

The sculpt drawing happens by mapping the pencil onto the mouse position. And when you move the mouse then the next mapping happens. Adjust the spacing after what mouse movement the next mapping should happen. The lower the value, the lower the distance between the single dots.



## Spacing Pressure

The icon behind the edit box enables tablet pressure sensitivity for tablets.

## Adjust Strength for Spacing

Automatically adjust strength to give consistent results for different spacing.

## Dash Ratio

Ratio of samples in a cycle that the brush is covering.

## Dash Length

Length of a dash cycle measured in stroke samples.

## Jitter Edit Box

Add Jitter to the brush while painting.

### **Spacing Pressure**

The icon behind the edit box enables tablet pressure sensitivity for tablets.

### **Jitter Unit**

Jitter in screen space, or relative to the brush size.

## **Input Samples Edit Box**

Average multiple input samples together to smooth the brush stroke.

---

## **Stabilize Stroke**

The brush lags behind the mouse position, and produces a much smoother stroke by that.

### **Smooth Stroke Radius Edit Box**

Is just active when Smooth Stroke is activated. Adjust the radius of the smoothing.


### **Smooth Stroke Factor Edit Box**

Is just active when Smooth Stroke is activated. Adjust the factor of the smoothing.




---

## **Stroke Panel with Stroke method Curve**

The Stroke method curve doesn't simply influence the way how the stroke is painted. It is a special method. First you draw a curve object by holding down ctrl and clicking with left mouse button. Then you tweak the curve. You can click at the curve point, and drag out handles to make the curve points smooth.




Then you hit the Draw Curve button. And the curve gets drawn onto the surface.



## Spacing Edit Box

The drawing happens by mapping the pencil onto the mouse position. And when you move the mouse then the next mapping happens. Adjust the spacing after what mouse movement the next mapping should happen. The lower the value, the lower the distance between the single dots.

The icon behind the edit box enables tablet pressure sensitivity for tablets.




## Adjust Strength for Spacing

Automatically adjust strength to give consistent results for different spacing.

## Paint Curve edit box

Here you set the active curve.

**The first element** is a drop down box where you will find your curves objects. You can have more than one.



**The second element** is the edit box that displays the active curve.

**The number** right of it, **in this case 2**, indicates how much number of users ( internally ) this brush uses. This means that this data block (the brush) shares currently settings with at least one other object. Most probably the parent brush where we have created it from. Click at the value to make this brush a single user. The button will vanish then.

**F** set the brush to have a fake user. Zero user data-blocks are normally not saved. But sometimes you want to force the data to be kept even when the data block has no user.

**The + button** allows you to add a new pencil with the current settings. Note that the brushes are NOT saved when you close Bforartists. You can save them into the current blend file. Or you can save the startup file. But be careful here. This saves everything else of the current state of Bforartists too.

**The X button** deletes the brush as the active one. It does NOT delete it from the brushes list.

## Draw Curve Button

A click at it turns the curve into a sculpt stroke.

## Jitter Edit Box

Add Jitter to the brush while painting.

### Jitter Pressure

The icon behind the edit box enables tablet pressure sensitivity for tablets.

### Jitter Unit




Jitter in screen space, or relative to the brush size.

## Input Samples Edit Box

Average multiple input samples together to smooth the brush stroke.

## Stroke Panel with Stroke method Line


With Stroke method line you draw a line between a starting point and an endpoint. And when you release the mouse then the line gets sculpted.



## Spacing Edit Box

The drawing happens by mapping the pencil onto the mouse position. And when you move the mouse then the next mapping happens. Adjust the spacing after what mouse movement the next mapping should happen. The lower the value, the lower the distance between the single dots.

The icon behind the edit box enables tablet pressure sensitivity



for tablets.

## Adjust Strength for Spacing

Automatically adjust strength to give consistent results for different spacing.

### Jitter Edit Box

Add Jitter to the brush while painting.

#### ***Jitter Pressure***

The icon behind the edit box enables tablet pressure sensitivity for tablets.

#### ***Jitter Unit***

Jitter in screen space, or relative to the brush size.


### Input Samples Edit Box

Average multiple input samples together to smooth the brush stroke.

---


## Stroke Panel with Stroke method Anchored

Click and drag to place a dot and to scale it.



### Edge to edge

Drag Anchor Brush from edge to edge.



### Jitter Edit Box

Add Jitter to the brush while painting.

#### ***Jitter Pressure***

The icon behind the edit box enables tablet pressure sensitivity for tablets.

#### ***Jitter Unit***

Jitter in screen space, or relative to the brush size.



### Input Sample Edit Box

Average multiple input samples together to smooth the brush stroke.

---

## Stroke Panel with Stroke method Airbrush

The stroke acts like an airbrush pencil. The dots gets placed randomly.



### Rate Edit Box

Define the rate of the drawing.

### Jitter Edit Box

Add Jitter to the brush while painting.

### *Jitter Pressure*

The icon behind the edit box enables tablet pressure sensitivity for tablets.

### *Jitter Unit*

Jitter in screen space, or relative to the brush size.

### Input Samples Edit Box

Average multiple input samples together to smooth the brush stroke.

### Stabilize Stroke

The brush lags behind the mouse position, and produces a much smoother stroke by that.

### *Smooth Stroke Radius Edit Box*


Is just active when Smooth Stroke is activated. Adjust the radius of the smoothing.

### *Smooth Stroke Factor Edit Box*

Is just active when Smooth Stroke is activated. Adjust the factor of the smoothing.


## Stroke Panel with Stroke method Drag Dot

Paint a dot and drag it around. The actual painting happens then at releasing the mouse



## Jitter Edit Box

Add Jitter to the brush while painting.



## Jitter Pressure

The icon behind the edit box enables tablet pressure sensitivity for tablets.

## Jitter Unit


Jitter in screen space, or relative to the brush size.

## Input Samples Edit Box

Average multiple input samples together to smooth the brush stroke.

## Stroke Panel with Stroke method Dots

The stroke method Dots draws dots of the pencil onto the surface. The mapping happens from the current view. Means you will get distortions when your view is not aligned with the surface of the object.




## Jitter Edit Box

Add Jitter to the brush while painting.

## Jitter Pressure

The icon behind the edit box enables tablet pressure sensitivity for tablets.



## Jitter Unit

Jitter in screen space, or relative to the brush size.

## Input Samples Edit Box

Average multiple input samples together to smooth the brush stroke.

## Stabilize Stroke

The brush lags behind the mouse position, and produces a much smoother stroke by that.

## Smooth Stroke Radius Edit Box


Is just active when Smooth Stroke is activated. Adjust the radius of the smoothing.

## Smooth Stroke Factor Edit Box

Is just active when Smooth Stroke is activated. Adjust the factor of the smoothing.

## Brush Settings Panel - Falloff Sub panel


The curve panel allows you to define different falloffs methods for the border of the brush.



## Selecting Points


You can select curve points. This reveals two edit boxes for the x and y coordinate of this point.

Selected points can be moved around. Left click at them, hold the mouse button down and move them to a new location.



## Adding Points

You can add new curve points by simply left clicking at the curve. Move the mouse to position them where you need it.



## Navigation elements

The navigation elements at the top are described from left to right.

### Zoom in and out

The two buttons with the magnifying glass at it zooms in and out in the curve window.



## Tools

Tools is a menu where you can find some curve related tools.



### Reset View

Resets the curve windows zoom.

### Vector Handle

Set handle type to Vector.

### Auto Handle

Set handle type to Auto.

### Auto Clamped Handle


Set handle type to Auto Clamped.

### Reset Curve

Resets the curve to the initial shape.

---

## Use Clipping



Clipping options. Set up clipping for the stroke.

## Delete Points

Deletes selected curve points.

---

## Curve window

Tweak and adjust the falloff curve by clicking at a curve point and dragging it around.

Double click adds a new point.

Holding down ctrl activates temporary snapping.

Holding down shift enables slower movement, which allows more accurate setting.

---

## Curve Presets



Predefined curve presets.


## Falloff Shape



Use projected or spherical falloff.

## Normal Falloff

Blend Brush influence, dependent by how much they face the front.



### Angle


Adjust the angle.

## Brush Settings Panel - Cursor Sub panel

Adjust the color and appearance of the brush cursor to custom values.

### Cursor Checkbox

Activate the custom settings.




### Cursor Color

Choose another color for the brush cursor. Double clicking at the color field will open a color picker.



### Falloff Opacity

You can turn on the cursor overlay with the eye button at the end. The falloff opacity slider allows you to adjust the opacity of this cursor overlay.



### Override Overlay

Hide the Cursor Overlay when painting.

### Use Cursor Overlay

Turn on Cursor Overlay.

### Texture Opacity

This is for the case when you paint with a texture brush. You can turn on the Texture overlay with the eye button at the end. The falloff opacity slider allows you to adjust the opacity of this cursor overlay.

### Override Overlay

Hide the Texture Overlay when painting.

## Use Cursor Overlay

Turn on Texture Overlay.

## Mask Texture Opacity

This is for the case when you mask paint with a texture brush. You can turn on the Texture overlay with the eye button at the end. The falloff opacity slider allows you to adjust the opacity of this cursor overlay.

## Override Overlay


Hide the Texture Overlay when painting.

## Use Cursor Overlay

Turn on Texture Overlay.

## Brush Settings Panel - Clone from Paint Slot Sub panel

This panel is just for the clone tool in the tool shelf.



Activate to clone from the current texture. For the clone tool description see tool shelf.  
Here you just can activate, then see or choose the material to clone from. It is a list.


## Symmetry Panel

### Symmetry Panel

Turn on/off symmetry painting along X, Y and Z axis. The mirroring happens along the world axis.




The same buttons can also be found in the tool settings bar as icon buttons. This allows quicker access and better visual control which mirror axis is currently active.



## Options Panel

### Bleed

An edit box to adjust the amount of bleeding into the areas outside of the faces UV.



### Dither

An Edit box to adjust the amount of dither when painting on byte images

### Occlude


Only paint the faces directly under the mouse.

### Backface Culling

Ignore faces that are painting away from the viewport.

### External

The external sub panel allows you to do projection painting by using an external 2d image editor. The projection happens from the current view. So this can lead to distortions.



### Screen Grab Size

Set the resolution of the shot.

### Quick Edit

Opens a shot of the current view in your 2D Image Editor.

### Apply

Applies the changes that you made and saved in your 2D Image Editor.

### Apply Camera Image

Project an edited render from the active camera back onto the object.

This feature requires to have a background image loaded. Then this background image can be projected onto the object from the camera view.

## Workflow for external editing


### Preparations

You first have to link your software that you want to use here. When there is no image editor linked then you will get a warning.

Open the User Preferences, go to the File tab. Here choose the Image Editor section, and browse for your image editor. I have chosen Gimp here at Windows 7.

Don't forget to save the User Settings!



For further options have a look in the Project Paint panel.



### Usage

Click at the Quick Edit Button. And your image editor will open up with a shot from the current view. Modify your image.

When done simply overwrite the image. Sorry for the german shot ...



Back in Bforartists click at the Apply button. And the result gets mapped onto your object.

Attention, don't change the camera view while doing this. Mapping happens from the current camera view!