



## 9.2 Editors - UV Editor - Tool Shelf

### Table of content

Detailed table of content.....	1
Tool Shelf.....	4
Select Tools Group.....	4
Cursor.....	6
Move.....	6
Rotate.....	8
Scale.....	9
Transform.....	11
Annotate Tools group.....	11
Rip Region.....	13
Grab.....	14
Relax.....	14
Pinch.....	15

### Detailed table of content

#### Detailed table of content

Detailed table of content.....	1
Tool Shelf.....	4
Select Tools Group.....	4
Tweak.....	4
Select Box.....	4
Tool Settings.....	4
Mode.....	4
Set a new selection.....	4
Extend existing selection.....	4
Subtract existing selection.....	4
Select Circle.....	5
Tool Settings.....	5
Mode.....	5
Set a new selection.....	5
Extend existing selection.....	5
Subtract existing selection.....	5
Radius.....	5
Select Lasso.....	5
Tool Settings.....	5
Mode.....	5
Set a new selection.....	5
Extend existing selection.....	5
Subtract existing selection.....	5
Cursor.....	6
Move.....	6
Snapping.....	6
Precision movement.....	6
Header Values.....	6

Numerical Input.....	6
Move without widget.....	6
Limit Axis.....	7
Last Operator Move.....	7
Move X, Y Z.....	7
Orientation.....	7
Proportional editing.....	7
Proportional Falloff.....	7
Proportional Size.....	7
Connected.....	7
Projected(2D).....	7
Rotate.....	8
Snapping.....	8
Precision rotation.....	8
Header Values.....	8
Numerical Input.....	8
Rotate without widget.....	8
Limit Axis.....	8
Last Operator Rotate.....	8
Angle.....	8
Axis.....	8
Orientation.....	9
Proportional editing.....	9
Proportional Falloff.....	9
Proportional Size.....	9
Connected.....	9
Projected(2D).....	9
Scale.....	9
Snapping.....	9
Precision Scale.....	9
Header Values.....	9
Numerical Input.....	10
Scale without widget.....	10
Limit Axis.....	10
Last Operator Resize.....	10
Angle.....	10
Axis.....	10
Orientation.....	10
Proportional editing.....	10
Proportional Falloff.....	10
Proportional Size.....	10
Connected.....	10
Projected(2D).....	11
Transform.....	11
Annotate Tools group.....	11
Annotate.....	11
Tool Settings.....	11
Color.....	11
Stabilize Stroke.....	12
Radius.....	12
Factor.....	12
Annotate Line.....	12
Tool Settings.....	12


Color.....	12
Style Start.....	12
End.....	12
Annotate Polygon.....	12
Tool Settings.....	12
Color.....	13
Annotate Eraser.....	13
Tool Settings.....	13
Radius.....	13
Rip Region.....	13
Last Operator UV Rip Move.....	13
Location X , Y.....	13
Move X , Y , Z.....	13
Constraint Axis.....	13
Orientation.....	14
Proportional editing.....	14
Proportional Falloff.....	14
Proportional Size.....	14
Connected.....	14
Projected(2D).....	14
Grab.....	14
Relax.....	14
Pinch.....	15

## Tool Shelf



### Select Tools Group

Tools with a triangle down right are a group of tools. Click and hold to reveal the content. Then choose the tool that you need.




#### Tweak

Allows you to select or tweak single elements by clicking at it.

### Select Box

Draws a box to select several elements at once. Click at the start point, then drag.



### Tool Settings

#### Mode

The available selection modes. The mode titles are pretty self explaining. So i won't go into detail here.




***Set a new selection***

***Extend existing selection***

***Subtract existing selection***

## Select Circle


Draws a box to select several elements at once. Click at the start point, then drag.



### Tool Settings

#### Mode

The available selection modes. The mode titles are pretty self explaining. So i won't go into detail here.



**Set a new selection**

**Extend existing selection**

**Subtract existing selection**


#### Radius

The brush radius.

---

## Select Lasso


Draws a box to select several elements at once. Click at the start point, then drag.



### Tool Settings

#### Mode

The available selection modes. The mode titles are pretty self explaining. So i won't go into detail here.



**Set a new selection**

**Extend existing selection**

**Subtract existing selection**

---

## Cursor


The cursor tool allows you to move the 2d cursor around.



## Move

Activates the move tool. Activating the move tool also reveals a move widget at the object. This widget allows you to move the object around, by using the corresponding axis.

When you click at one of the square buttons at the icon, then you can move the object along the plane of the two adjacent axis. The rectangle buttons between the arrows allows you to move in direction of the blue and green arrows. This can also be done by clicking at the tip of the arrow and holding down shift. Then you can move the cube along the two other axis.



## Snapping

Holding down Ctrl activates temporary global snapping.

## Precision movement

When you hold down shift, then you will have a much slower but also much preciser movement.

## Header Values

When you move your object then you will see some values in the header, which defines the current position of the object.

D: 0.1529 m (0.1529 m) along global Z

The value m stands for the default metric system. Meters. You can change the units in the Properties editor in the Scene properties in the Units panel. When you choose kilometers here then you will see a km instead m.

The value D stands for the distance of the current selected axis. This can also be two axis. Then you have two d values. The value in the brackets is then the direct distance to the starting point.

D: 0.7057 m D: -0.2678 m (0.7548 m) global

These values are always relative to the starting point. You always start with zero, regardless of the real world position.

## Numerical Input

When you move the object, and hold down the mouse and type in a value, like 20, then the movement will be performed by the value that you have typed in. In this case by 20 units in direction of the selected axis.

## Move without widget

You don't have to use the widget to move the object. You can also click aside of it, and drag the selection around.

## Limit Axis


When you want to move into a specific axis, then press X or Y to limit the movement to this axis. This can be combined with the numerical input.

D: 0.1529 m (0.1529 m) along global Z

## Last Operator Move


### Move X, Y Z

The position. Attention, the actual world orientation and rotation does not matter here. It always starts with a value of zero, and moves relative to this zero then. For the actual location values have a look in the sidebar in the transform panel.




### Orientation

The widget can have different orientations. The menu items should be self explaining.



### Proportional editing

Enables proportional editing. Activating proportional editing reveals further settings.



### Proportional Falloff

Adjust the falloff methods.

### Proportional Size

See and adjust the falloff radius.

### Connected

The proportional falloff gets calculated for connected parts only.


### Projected(2D)

The proportional falloff gets calculated in the screen space. Depth doesn't play a role. When it's in the radius, then it gets calculated.

## Rotate



Activates the Rotate tool. Activating the move tool also reveals a rotate widget at the object. This widget allows you to rotate the object, by using the corresponding axis.



## Snapping

Holding down Ctrl activates temporary global snapping.

## Precision rotation

When you hold down shift, then you will have a much slower but also much preciser rotation.

## Header Values

When you rotate your object then you will see some values in the header, which defines the current rotation of the object. The rotation is shown in degrees.

Rot: -3.57 global

## Numerical Input

When you rotate the object, and hold down the mouse and type in a value, like 20, then the rotation will be performed by the value that you have typed in.

## Rotate without widget

You don't have to use the widget to rotate the object. You can also click asides and drag the selection around. This can be combined with the numerical input.


## Limit Axis

When you want to rotate a specific axis, then press X or Y to limit the rotation to this axis.

Rot: -0.08 along normal X

By holding down the mouse button and pressing the X, Y or Z key twice you can toggle this to local. But also to other orientations. This depends in what orientation you start. With normal you can toggle that way between Normal and Global.

## Last Operator Rotate



### Angle


The rotation. Attention, the actual world orientation and rotation does not matter here. It always starts with a value of zero, and rotates relative to this zero then. For the actual rotation values have a look in the sidebar in the transform panel.

### Axis

Which axis to rotate.


## Orientation

The widget can have different orientations. The menu items should be self explaining.



## Proportional editing

Enables proportional editing. Activating proportional editing reveals further settings.



### Proportional Falloff

Adjust the falloff methods.

### Proportional Size

See and adjust the falloff radius.

### Connected

The proportional falloff gets calculated for connected parts only.

### Projected(2D)


The proportional falloff gets calculated in the screen space. Depth doesn't play a role. When it's in the radius, then it gets calculated.

## Scale



Activates the Scale tool. Activating the scale tool also reveals a traditional scale widget at the object. This widget allows you to scale the object, by using the corresponding axis. When you click at the outer white circle and drag, then you can scale the object uniformly.

The rectangle buttons between the arrows allows you to scale in direction of the adjacent arrows. This can also be done by clicking at the tip of the arrow and holding down shift. Then you can scale the cube along the two other axis.



### Snapping

Holding down Ctrl activates temporary global snapping.

### Precision Scale

When you hold down shift, then you will have a much slower but also much preciser scale.

### Header Values

When you scale your object then you will see some values in the header, which defines the

Scale: 1.1996 global

current scale of the object.

These values are always relative to the starting point. You always start with 1, regardless of the real world scale.

## Numerical Input

When you scale the object, and hold down the mouse and type in a value, like 20, then the scale will be performed by the value that you have typed in.

## Scale without widget

You don't have to use the widget to scale the object. You can also click asides and drag the selection around.

### Limit Axis


When you want to rotate a specific axis, then press X or Y to limit the scale to this axis. This can be combined with the numerical input.

## Last Operator Resize

### Angle

The rotation. Attention, the actual world orientation and rotation does not matter here. It always starts with a value of zero, and rotates relative to this zero then.

For the actual rotation values have a look in the sidebar in the transform panel.




### Axis

Which axis to rotate.


### Orientation

The widget can have different orientations. The menu items should be self explaining.



### Proportional editing

Enables proportional editing. Activating proportional editing reveals further settings.



### Proportional Falloff

Adjust the falloff methods.

### Proportional Size

See and adjust the falloff radius.

### Connected

The proportional falloff gets calculated for connected parts only.

## Projected(2D)

The proportional falloff gets calculated in the screen space. Depth doesn't play a role. When it's in the radius, then it gets calculated.

---

## Transform


Transform reveals a multi transform widget with all three transform methods available at once. Move, Rotate and Scale.

The rules are the same than for the single tools, and also the last operators. Dependent of which widget part you pull here. So i won't go into detail again here.

Clicking into the area of the widget allows you to move the selection.

Grabbing the sticking out round circle part allows to rotate the selection.


Grabbing one of the corner points allows you to scale the selection.



## Annotate Tools group

The annotation tool is available in multiple editors. With this tool you can write notes at the screen. The annotate tools is the little brother of the grease pencil objects.

Further settings for annotate can be found in the sidebar. Here you can also remove an annotation when you don't longer need it. And here you can also adjust the size of the stroke.




## Annotate

Draw free-hand strokes in the main window.

## Tool Settings

The tool settings for Annotate.




## Color

Clicking at the left color field reveals a color picker. Define the color for the annotation stroke.



## Stabilize Stroke

Helper to draw smooth and clean lines. Pressing shift inverts the effect.



## Radius

The radius for the stroke stabilization.

## Factor


Stabilizer stroke factor. Higher values gives a smoother stroke.

## Annotate Line

Click and drag to create a line.

### Tool Settings

The tool settings for the Annotate tool.




## Color

Clicking at the left color field reveals a color picker. Define the color for the annotation stroke.




## Style Start

The stroke start style. With an arrow for example you place an arrow at the start of the stroke.



## End

The stroke end style. With an arrow for example you place an arrow at the end of the stroke.




## Annotate Polygon

Click multiple times to create multiple connected lines. The current polygon is finished when Esc or RMB is pressed.

### Tool Settings

The tool settings for Annotate.



## Color

Clicking at the left color field reveals a color picker where you can define the color for the annotation stroke.



## Annotate Eraser


Click and drag to remove annotate lines.



## Tool Settings

### Radius


The radius of the eraser pencil.



## Rip Region

Rip splits the selected UV edge, and moves it with the mouse.

You need to be in UV selection mode Vertice, Edge or Face, and with Use UV Selection mode off. And you need to select at least one edge that is inside of the UV patch so that there is something to rip at all. In the wrong mode and at the wrong edges you will get an error message.



## Last Operator UV Rip Move


Please ignore the Proportional Editing at the top. That's a bug that will most probably be fixed soon.

### Location X , Y

Mouse location

### Move X , Y , Z

Adjust the position.




## Constraint Axis

Limit the position relative to the source object.


## Orientation

Orientation is a drop-down box to choose the type of orientation for the mirroring action.



## Proportional editing

Enables proportional editing. Activating proportional editing reveals further settings.



### Proportional Falloff

Adjust the falloff methods.

### Proportional Size

See and adjust the falloff radius.

### Connected

The proportional falloff gets calculated for connected parts only.


### Projected(2D)

The proportional falloff gets calculated in the screen space. Depth doesn't play a role. When it's in the radius, then it gets calculated.

## Grab

This is a brush tool that has further settings in the Tool tab in the sidebar at the right. Grab allows you to grab and move the geometry under the brush.


The brush radius can be changed with hotkey F. See also the Tool settings in the Brush panel.



## Relax

This is a brush tool that has further settings in the Tool tab in the sidebar at the right. Relax allows you to relax the geometry under the brush. The vertices are more evenly distributed.

The brush radius can be changed with hotkey F. See also the Tool settings in the Brush panel.



## Pinch

This is a brush tool that has further settings in the Tool tab in the sidebar at the right. Pinch allows you to pinch the geometry under the brush. The vertices comes closer to each other.

The brush radius can be changed with hotkey F. See also the Tool settings in the Brush panel.

